JOURNAL OF PHYSICS B
PROCEEDINGS OF THE PHYSICAL SOCIETY
1968—SER. 2, VOL. 1

SUBJECT INDEX

PAGE

Absorption band, electronic, estimation of position of intensity maximum in (L) . . . 752
Absorption bands, *see* Bands, absorption
Absorption, microwave, in hydrogen-bonded molecule CF_3COOH–HCOOH . . . 1212
Absorption, M x-ray, of ^{70}Yb . . . 120
Absorption spectra, spectrum *see* Spectra, absorption, Spectrum, absorption
Adiabatic hypothesis applied to high-energy charge-transfer collisions involving rare gases (L)
Afterglow, argon–oxygen, source of O_2 Herzberg I band system . . . 983
Afterglows and discharges, nitrogen, effect of traces of oxygen on . . . 990
Alkali atoms, core polarization corrections to oscillator strengths in . . . 822
Alpha particles, calculation of mobility in helium . . . 395
Aluminium monoxide, A $^2\Sigma$–X $^2\Sigma$ system of, problem of uniqueness of $R_e(\bar{r}_{v'v''})$ function for (L) 753
Anharmonic oscillator molecules, vibrational relaxation under isothermal conditions . . 705
Argon afterglow plasmas, ion mobilities and conversion rates in . . . 638
Argon–oxygen afterglow source of O_2 Herzberg I band system . . . 983
Argon II line, measurement of shift-to-width ratio and shift as functions of electron temperature and density . . . 973
Argon II lines, measurement of Stark broadening parameters of . . . 53
Argon II multiplets, temperature dependence of Stark broadening parameters of (L) . . 317
Aromatic liquids and solutions, fluorescence excitation spectra of . . . 934
Atom–atom interchange reaction rates, calculation by 'nearest resonance' method . . 879
Auger effect for S, Al and Si, calculations of energies involved in . . . 605
Autoionization of $1s2s2p\ ^4P_{5/2}$ state of Li and He^- . . . 151
Autoionization resonance structure in $5s^2\ ^1S_0$–$4d_np$, nf spectrum of Sr I, analysis of . . 114
Autoionization resonance structure in spectrum of calcium vapour, analysis of . . . 742
Autoionizing states of He, properties of . . . 831

Band, electronic absorption, estimation of position of intensity maximum in (L) . . . 752
Band spectra, *see also* Franck–Condon integrals
Band system, AlO (A $^2\Sigma$–X $^2\Sigma$), problem of uniqueness of $R_e(\bar{r}_{v'v''})$ function for (L) . . 753
Band system, c $^1\Pi$–b $^1\Sigma^+$, of NH and ND . . . 977
Band system, F $^2\Sigma \rightarrow$ X $^2\Sigma$, of BaH and BaD, extension of . . . 985
Band system, g–a, due to $^1\Delta_u$–$^1\Delta_g$ transitions in gaseous S_2, rotational analysis of . . 283
Band system, gamma, of SiF, rotational analysis of . . . 274
Band system, NO$^+$(A $^1\Sigma$–X $^1\Sigma$), Franck–Condon factors for . . . 1192
Band system, O_2 Herzberg I, O_2–Ar afterglow source of . . . 983
Band system, 2650–2850 Å, of BiF molecule, rotational structure of (L) . . . 523
Bands, absorption, new, of SrH and SrD in ultra-violet region, study of . . . 745
Bands, absorption, of CaH and CaD in ultra-violet region, high dispersion study of . . 260
Barium deuteride, extension of F $^2\Sigma \rightarrow$ X $^2\Sigma$ system of . . . 985
Barium hydride, extension of F $^2\Sigma \rightarrow$ X $^2\Sigma$ system of . . . 985
Barium, singly ionized, measurements of cross sections for ionization by electron impact . 872
Beryllium bromide molecule, excitation of emission spectrum in presence of argon . . 482
Beryllium, singly ionized, variational calculations for . . . 1073
Bethe theory, use for calculation of differential cross sections for ionization of H atoms by fast charged particles . . . 1123
Binary-encounter theory, use for calculation of differential cross sections for ionization of H atom by fast charged particles . . . 1123
Birefringence in optically pumped helium, observations of . . . 250
Birefringence of a gas due to spin alignment, theory of . . . 250
Bismuth fluoride molecule, rotational structure of 3050–3250 Å system of (L) . . . 1223
Bismuth fluoride molecule, rotational structure of 2650–2850 Å system of (L) . . . 523
Bloch equations, generalized, for any multipole . . . 759

PAGE

Bohr–Sommerfeld identity for hydrogen atom 784
Bond length and force constant of di-atoms, new relationship between 445
Bond length and frequency of di-atoms, empirical relationship between (L) . . . 320
Bonding, chemical, and inner-shell double ionization, calculations of energies involved in Auger effect for S, Al and Si 605
Bonding, chemical, and inner-shell double ionization, theoretical study of satellite x-ray lines in sulphur 614
Born approximation, simplified second, application to scattering of electrons and protons by hydrogen atoms 36
Born cross sections for electron impact excitation of $2\,^1S$ and $3\,^1S$ states of atomic helium (L). 521
Born cross sections for electron and proton excitation of helium using unrestricted Hartree–Fock wave functions 1028
Born electron-impact cross sections, importance of correlation in evaluation of (L) . . 526
Bounds on transition probabilities and cross sections 589
Bounds, upper, on density matrices for systems described by time-dependent Schrödinger equation (L) 751
Broadening parameters, Stark, of several Ar II lines, measurement of 53
Broadening parameters, Stark, of two ionized argon multiplets, temperature dependence of (L) 317

Cadmium vapour, photoionization of 438
Cadmium I, *ab initio* calculation of Hartree–Fock solutions for excited odd configuration of 736
Calcium deuteride, high dispersion study of some new absorption bands in ultra-violet region. 260
Calcium hydride, high dispersion study of some new absorption bands in ultra-violet region. 260
Calcium, singly ionized, application of close-coupling approximation to scattering of electrons by 575
Calcium vapour, analysis of autoionization resonance structure in spectrum of 742
Capture, electron, by protons, cross sections for 850
Capture, electron, into excited states in impulse approximation 172
Capture, single-electron, by slow protons in helium 856
Carbon atoms, laser action following dissociative excitation transfer 1171
Carbon dioxide, absolute cross sections for ionization and excitation by electron impact . 71
Carbon dioxide and disulphide, ions and fragments from, sequential mass spectrometry experiments on 62
Carbon dioxide, collisional relaxation from ν_3 vibration of (L) 1225
Carbon v ions, triplet to singlet excitation in high-temperature plasmas 471
Charge-changing collisions, formation and destruction of fast metastable helium atoms in . 863
Charge-exchange cross sections, H^+–H, H^+–D and D^+–D, effe⁻⁺ of apparatus geometry on. 1141
Charge-transfer collisions involving rare gases, high-energy, adiabatic hypothesis applied to (L) 132
Charge-transfer reaction rates, calculation by 'nearest resonance' method 879
Classical and quantum mechanics, relations between 774
Collision cross sections, electron, and generalized oscillator strengths for potassium . . 718
Collision cross sections, electron, for $2l_0 \rightarrow 3l$ transitions in hydrogen, calculation of . 423
Collision, inelastic electron, contributions to ion linewidths 48
Collision problems, atomic, evaluation of slowly converging radial integrals occurring in (L). 136
Collisional dissociation of fast H_2^+ ions, energy spectrum of protons produced in. . . . 813
Collisional relaxation from ν_3 vibration of CO_2 (L) 1225
Collisions, atomic, impact parameter treatment of 163
Collisions, charge-changing, formation and destruction of fast metastable helium atoms in . 863
Collisions, electron–hydrogen, integral equation approach to 414
Collisions, energy change, between ion pairs and third bodies 384
Collisions, high-energy charge-transfer, involving rare gases, adiabatic hypothesis applied to (L) 132
Collisions involving electron loss, quantitative analysis of fast metastable helium atoms in . 230
Collisions of second kind in helium, measurement of cross sections for 1115
Conductivity, electrical, *see* Electrical conductivity
Configuration interaction in continuum states of molecules 349
Configuration interaction method, use for calculation of $2p^2\,^1D$ resonance in helium . . 381
Correspondence identities 774, 784
Coulomb centres (two) problem at large centre separation 1066
Coulomb functions, recurrence relations for phases and amplitudes in calculation of . . 154
Coulomb hole in ground state of two-electron atoms, calculation of . . . . corr. 325

PAGE

Cross section curves, photoionization, of molecules, undulations in 543
Cross section for excitation of H atoms by fast protons, asymptotic expression for (L) . 1218
Cross section formulae for excitation of H atoms by fast protons (L) 1220
Cross sections *see also* Collisions, Excitation, Mobility, Scattering
Cross sections, absolute, for ionization and excitation of CO_2 by electron impact . . 71
Cross sections, accurate first Born approximation, for excitation of helium by fast protons . 1037
Cross sections and transition probabilities, bounds on 589
Cross sections, atomic absorption, of calcium vapour 742
Cross sections, Born electron-impact, importance of correlation in evaluation of (L) . . 526
Cross sections, Born, for electron impact excitation of $2\,^1S$ and $3\,^1S$ states of atomic helium (L) 521
Cross sections, classical, for electron ionization of degenerate levels of excited states of atomic hydrogen 559
Cross sections, differential, for ionization of H atoms by fast charged particles, calculation in binary-encounter theory and Bethe theory 1123
Cross sections, electron–atom scattering, near excitation thresholds, effect of long-range forces on behaviour of 181, 187
Cross sections, electron collision, and generalized oscillator strengths for potassium . . 718
Cross sections, electron collision, for $2l_0 \rightarrow 3l$ transitions in hydrogen, calculation of . . 423
Cross sections, first Born approximation, calculation for excitation of helium by fast electrons . 204
Cross sections, first Born approximation, calculation for excitation of helium by fast protons 218
Cross sections for collisions of second kind in helium, measurement of 1115
Cross sections for electron capture by protons 850
Cross sections for electron capture by protons from atomic hydrogen, high-energy behaviour of (L) 315
Cross sections for electron capture from D, He, N, O and Ar by protons, calculation of . . 529
Cross sections for excitation of atomic helium by electron impact, effect of electron exchange on (L) 322
Cross sections for excitation of atomic hydrogen, use of quantal impulse approximation in calculation of 567
Cross sections for excitation of ground state of helium to $2\,^1P$ state by fast electrons, calculation of. 195
Cross sections for excitation of $6\,^1P_1$ and $6\,^3P_{0,1,2}$ states of mercury by electron impact, calculation of 406
Cross sections for ionization of Li^+ and Ba^+ ions by electron impact, measurements of . . 872
Cross sections for ionization of Mg^+ to Mg^{2+} by electron impact, measurements of . . 537
Cross sections for ionization of Na^+ to Na^{2+} and K^+ to K^{2+} by electron impact, measurements of 240
Cross sections for model with long-range interaction, examination of (L) 1001
Cross sections, H^+–H, H^+–D and D^+–D charge-exchange, effect of apparatus geometry on . 1141
Cross sections, impulse approximation evaluation for electron capture into excited states . . 172
Cross sections, ionization yields and loss functions, relation between. 1131

Debye shielding, inclusion in simple formulae for calculation of ion linewidths . . . 245
$^1\Delta_u$–$^1\Delta_g$ transitions in gaseous S_2, rotational analysis of g–a band system due to. . . 283
Di-atoms, empirical relationship between bond length and frequency of (L) 320
Di-atoms, new relationship between bond length and force constant 445
Diffusion and drift of oxygen ions in oxygen 1160
Diffusion factor, thermal, identification of measured, with specific molar compositions (L). 1221
Dimers, formation in quadrupolar gases 914
Dipole moments, electric, of atom, contribution from electric-dipole moment on electron . 511
Dipole moments, electric, of atom in magnetic field, general considerations 499
Dipole properties of metastable states of helium 13
Dipole–quadrupole dispersion forces, atomic . . . . . 139, corr. 1010
Dipole transitions, optical, between adjacent states 844
Discharge, electrodeless, in O_2 and O_2–N_2 mixtures, electron density decay rates in (L) . 128
Discharge, glow, perturbed, atomic transitions in 909
Discharges and afterglows, nitrogen, effect of traces of oxygen on 990
Dissociative excitation transfer, laser action in C and N following 1171
Drift and diffusion of oxygen ions in oxygen 1160

PAGE
Elastic scattering of zero-energy positrons by hydrogen and helium atoms 29
Electric-dipole moments of atom, contribution from electric-dipole moment on electron . 511
Electric-dipole moments of atom in magnetic field, general considerations . . . 499
Electrical conductivity of sodium vapour, effect of molecular association on . . . 441
Electron and proton excitation of helium, Born cross sections for, using unrestricted Hartree–Fock wave functions 1028
Electron and proton impact, ionization of neutral atoms with outer 2p and 3p electrons by . 1088
Electron–atom scattering cross sections near excitation thresholds, effect of long-range forces on behaviour of 181, 187
Electron capture by protons, cross sections for 850
Electron capture by protons from atomic hydrogen, high-energy behaviour of cross sections for (L) 315
Electron capture from D, He, N, O and Ar by protons, calculation of cross sections for. . 529
Electron capture into excited states in impulse approximation 172
Electron capture, single, by slow protons in helium 856
Electron collision cross sections and generalized oscillator strengths for potassium. . . . 718
Electron collision cross sections for $2l_0 \rightarrow 3l$ transitions in hydrogen, calculation of . . 423
Electron collision, inelastic, contributions to ion linewidths 48
Electron density decay rates in O_2 and O_2–N_2 mixtures, microwave measurements of temperature dependence of (L) 128
Electron, electric-dipole moment on, contribution to electric-dipole moments of atom. . 511
Electron exchange, effect on cross sections for excitation of atomic helium by electron impact (L) 322
Electron–hydrogen collisions, integral equation approach to 414
Electron impact, absolute cross sections for ionization and excitation of CO_2 by. . . . 71
Electron impact Born cross sections, importance of correlation in evaluation of (L) . . 526
Electron impact, excitation of atomic helium by, effect of electron exchange on cross sections for (L) 322
Electron impact, excitation of $6\,^1P_1$ and $6\,^3P_{0,1,2}$ states of mercury by. 406
Electron impact excitation of $2\,^1S$ and $3\,^1S$ states of atomic helium, Born cross sections for (L) 521
Electron impact, importance of exchange scattering in double ionization of He atoms by (L). 524
Electron impact, ionization of Na^+ to Na^{2+} and K^+ to K^{2+} by, measurements of cross sections for 240
Electron impact, measurements of cross sections for ionization of Li^+ and Ba^+ ions by. . 872
Electron impact, measurements of cross sections for ionization of Mg^+ to Mg^{2+} by . . 537
Electron impact, octupole transitions in excitation by 847
Electron, integral expression for amplitude of scattering by hydrogen atom (L) . . 130
Electron ionization of degenerate levels of excited states of atomic hydrogen, classical cross sections for 559
Electron-loss collisions, quantitative analysis of fast metastable helium atoms in . . 230
Electron–molecule scattering, resonant, oscillatory energy dependence of 548
Electron scattering, low-energy, by atomic hydrogen . . . . . corr. 325
Electron spin resonance, low-frequency, of irradiated ice and frozen H_2O_2 solutions, measurements of 289
Electronic absorption band, estimation of position of intensity maximum in (L) . . 752
Electronic terms of H_2^+, asymptotic expansions of 681
Electronic transition moment variation for $A\,^2\Sigma$–$X\,^2\Sigma$ system of AlO, validity of expressions for (L) 753
Electrons, annihilation, effective number per atom for free positrons in condensed matter . 795
Electrons, fast, calculation of cross sections for excitation of ground state of helium to $2\,^1P$ state by 195
Electrons, fast, excitation of helium by, calculation of first Born approximation cross sections for 204
Electrons, resonances and exchange in scattering by helium atoms, wave functions for 327, 336
Electrons, resonant scattering by molecules, angular distributions for 893
Electrons, resonant scattering by molecules, rotational effects in 1056
Electrons, scattering by hydrogen atoms, application of simplified second Born approximation to 36
Electrons, scattering by Mg^+ and Ca^+ ions, application of close-coupling approximation to. 575
Electrons, zero energy, elastic scattering of, by helium atoms 1077
Emission spectra, *see* Spectra, emission

PAGE

Emission spectrum, *see* Spectrum, emission
Energy levels of one-dimensional potentials, iterative procedure for estimation of . . . 768
Energy transfer in organic solution systems, fluorescence response functions and scintillation pulse shapes . . . 946
Energy transfer in organic systems, effect of diffusion on fluorescence decay . . . 958
Energy transfer in solutions of anthracene and perylene in benzene, lifetime studies of . . 266
Ethylene oxide and ethylene oxide d_4, evaluation of potential constants by analysis of vibrational spectra of . . . 485
Exchange and resonances in scattering of electrons by helium atoms, wave functions for . 327, 336
Excimer and molecular fluorescence of toluene . . . 1157
Excitation and ionization, simultaneous, of CO_2 by electron impact, absolute cross sections for 71
Excitation by electron impact, octupole transitions in . . . 847
Excitation induced by 0·15–1·0 Mev protons in molecular oxygen . . . 233
Excitation of atomic helium by electron impact, effect of electron exchange on cross sections for (L) . . . 322
Excitation of atomic hydrogen, use of quantal impulse approximation in calculation of cross sections for . . . 567
Excitation of ground state of helium to 2 ^1P state by fast electrons, calculation of cross sections for . . . 195
Excitation of helium by fast electrons, calculation of first Born approximation cross sections for . . . 204
Excitation of helium by fast protons, calculation of first Born approximation cross sections for 218
Excitation of H atoms by fast protons, asymptotic expression for cross section for (L) . . 1218
Excitation of H atoms by fast protons, cross section formulae for (L) . . . 1220
Excitation of 6 $^1P_1$ and 6 $^3P_{0,1,2}$ states of mercury by electron impact . . . 406
Excitation thresholds, effect of long-range forces on behaviour of electron–atom scattering cross sections near . . . 181, 187
Excitation, triplet to singlet, of C v ions in high-temperature plasmas . . . 471

F layer, ionospheric, on theory of . . . 966
Faraday rotation in gas laser resulting from negative absorption . . . 692
Firsov's atomic interaction potential, simple analytical form of . . . 307
Fluorescence decay of organic systems, effect of diffusion on . . . 958
Fluorescence excitation spectra of aromatic liquids and solutions . . . 934
Fluorescence, molecular and excimer, of toluene . . . 1157
Fluorescence response functions and scintillation pulse shapes of organic solution systems . 946
Fluorescence response functions of solutions of anthracene and perylene in benzene, observations of . . . 266
Fluorescent light, modulated, studies of double resonance excited by . . . 458
Fragmentation of molecular gases by 5–45 kev protons . . . 1149
Franck–Condon factors and r centroids for B–X and C–X systems of MgF molecule . . . 993
Franck–Condon factors for ionizing transitions of O_2, CO, NO and H_2 and for $NO^+(A\,^1\Sigma–X\,^1\Sigma)$ band system . . . 1192
Franck–Condon integrals, cancellation effects in . . . 89

Gamma bands of SiF, rotational analysis of . . . 274
Gases, moderately dense quadrupolar, thermal conductivity and viscosity of . . . 922
Gases, quadrupolar, formation of dimers in . . . 914
Glow discharge, perturbed, atomic transitions in . . . 909

Hartree and Hartree–Fock Hamiltonians, perturbation theory for . . . 1016
Hartree–Fock energies for helium-like ions, saddle-point character of . . . 402
Hartree–Fock equations for helium with non-orthogonal orbitals . . . 1023
Hartree–Fock equations for 1s2p ^3P and ^1P states in helium-like ions, perturbation treatment of . . . 1
Hartree–Fock equations, unrestricted, for ground state of lithium, $Z^{-1/2}$ expansion of . . 1048
Hartree–Fock scheme, inner-electron rearrangement in . . . 1011
Hartree–Fock solutions for excited odd configurations of Cd I, *ab initio* calculation of . . 736
Hartree–Fock wave functions, unrestricted, Born cross sections for electron and proton excitation of helium using . . . 1028

PAGE

Helium, atomic, Born cross sections for electron impact excitation of $2\,^1S$ and $3\,^1S$ states of (L) . . . 521
Helium, atomic, excitation by electron impact, effect of electron exchange on cross sections for (L) . . . 322
Helium atoms, double ionization by electron impact, importance of exchange scattering in (L) . . . 524
Helium atoms, elastic scattering of zero-energy electrons by . . . 1077
Helium atoms, fast metastable, formation and destruction in charge-changing collisions . . . 863
Helium atoms, metastable, Penning ionization by . . . 18
Helium atoms, resonances and exchange in scattering of electrons by, wave functions for . . . 327, 336
Helium, calculation of mobility of He^+ ions in . . . 387
Helium, calculation of mobility of protons and alpha particles in . . . 395
Helium, calculation of $2p^2\,^1D$ resonance by method of configuration interaction . . . 381
Helium, dipole properties of metastable states . . . 13
Helium, excitation by fast electrons, calculation of first Born approximation cross sections for . . . 204
Helium, excitation by fast protons, accurate first Born approximation cross sections for . . . 1037
Helium, excitation by fast protons, calculation of first Born approximation cross sections for . . . 218
Helium, excitation of ground state to $2\,^1P$ state by fast electrons, calculation of cross sections for . . . 195
Helium fast metastable atoms in collisions involving electron loss, quantitative analysis of . . . 230
Helium ion–atom collisions in energy range 500–3000 ev, differential scattering measurements on . . . 1083
Helium-like ions, perturbation treatment of Hartree–Fock equations for $1s2p\,^3P$ and ^1P states of . . . 1
Helium-like ions, saddle-point character of Hartree–Fock energies for . . . 402
Helium, measurement of cross sections for collisions of second kind in . . . 1115
Helium I, two-photon emission from triplet metastable state of . . . 697
Helium, optically pumped, observations of birefringence in . . . 250
Helium plasma, highly ionized, measurement of electron densities in decay of . . . 669
Helium plasmas, Langmuir probe observations of afterglows in . . . 660
Helium plasmas, mass spectrometric observations of afterglows in . . . 650
Helium, positron annihilation rate in . . . 34
Helium, properties of autoionizing states of . . . 831
Helium, quenching of orthopositronium by . . . 1109
Helium, scattering and pick-off quenching of orthopositronium in (L) . . . 1006
Helium, single-electron capture by slow protons in . . . 856
Helium, singly ionized, autoionization of $1s2s2p\,^4P_{5/2}$ state of . . . 151
Helium, singly ionized, calculation of mobility in helium . . . 387
Helium, singly ionized, variational calculations for . . . 1073
Helium, $2s^2\,^1S$ and $2p^2\,^1S$ resonances in (L) . . . 1226
Helium with non-orthogonal orbitals, Hartree–Fock equations for . . . 1023
Holmium 67, x-ray L emission spectrum of . . . 479
Hydrogen atom, Bohr–Sommerfeld identity for . . . 784
Hydrogen atom, contribution from electric-dipole moment on electron to electric-dipole moments of . . . 511
Hydrogen atom, integral expression for amplitude of scattering of electron by (L) . . . 130
Hydrogen atom, ionization by fast charged particles, calculation in binary-encounter theory and Bethe theory of differential cross sections for . . . 1123
Hydrogen, atomic, classical cross sections for electron ionization of degenerate levels of excited states of . . . 559
Hydrogen, atomic, high-energy behaviour of cross sections for electron capture by protons from (L) . . . 315
Hydrogen, atomic, low-energy electron scattering by . . . corr. 325
Hydrogen, atomic, use of quantal impulse approximation in calculation of cross sections for excitation of . . . 567
Hydrogen atoms, application of simplified second Born approximation to scattering of electrons and protons by . . . 36
Hydrogen atoms, asymptotic expression for cross section for excitation by fast protons (L) . . . 1218
Hydrogen atoms, cross section formulae for excitation by fast protons (L) . . . 1220
Hydrogen atoms, elastic scattering of zero-energy positrons by . . . 29
Hydrogen, calculation of electron collision cross sections for $2l_0 \rightarrow 3l$ transitions in . . . 423
Hydrogen–electron collisions, integral equation approach to . . . 414

PAGE

Hydrogen molecule, singly ionized, asymptotic expansions of electronic terms of . . 681
Hydrogen molecule, singly ionized, energy spectrum of protons produced in collisional dissociation of 813
Hydrogen molecule, singly ionized, potential energy curves of 586
Hydrogen molecule, singly negatively ionized, search for formation from 40 kev H_2^+ ions in hydrogen (L) 755
Hydrogen peroxide, frozen solutions of, measurements of low-frequency electron spin resonance of. 289
Hydrogen–proton scattering with variable effective charge, calculations for 428
Hydrogen, singly ionized molecular, variational function for first excited state of (L) . . 134
Hyperfine structure of level $3\ ^2P_{3/2}$ in atomic sodium, application of method for improved resolution of level-crossing curves to 724

Ice, irradiated, measurements of low-frequency electron spin resonance of. 289
Impact, electron, *see* Electron impact, Electron and proton impact
Impact parameter treatment of atomic collisions 163
Impulse approximation, quantal, use in calculation of cross sections for excitation of atomic hydrogen 567
Impulse approximation, use for electron capture into excited states 172
Inelastic electron collision contributions to ion linewidths 48
Integrals, slowly converging radial, occurring in atomic collision problems, evaluation of (L) 136
Interaction, long-range, threshold law for model with (L) 1001
Interactions, long-range atomic, dipole–quadrupole dispersion terms for . . 139, corr. 1010
Interactions, van der Waals, simple methods for calculating, from oscillator strength sums . 597
Ion–atom collisions in energy range 500–3000 ev, differential measurements on, helium . 1083
Ion–atom interchange reaction rates, calculation by 'nearest resonance' method . . . 879
Ion, H_2^+, asymptotic expansions of electronic terms of 681
Ion linewidths, inelastic electron collision contributions to 48
Ion linewidths, simple formulae for calculation including Debye shielding . . . 245
Ion mobilities and conversion rates in pure neon and argon afterglow plasmas . . . 638
Ion pairs and third bodies, energy change collisions between 384
Ionic recombination, three-body, simple treatments of 1145
Ionization and excitation, simultaneous, of CO_2 by electron impact, absolute cross sections for 71
Ionization curves of sodium-like ions, structure of 23
Ionization, double, of He atoms by electron impact, importance of exchange scattering in (L) 524
Ionization, electron, of degenerate levels of excited states of atomic hydrogen, classical cross sections for 559
Ionization, inner-shell double, and chemical bonding, calculations of energies involved in Auger effect for S, Al and Si 605
Ionization, inner-shell double, and chemical bonding, theoretical study of satellite x-ray line in sulphur 614
Ionization of H atom by fast charged particles, calculation in binary-encounter theory and Bethe theory of differential cross sections for 1123
Ionization of Li^+ and Ba^+ ions by electron impact, measurements of cross sections for . 872
Ionization of Mg^+ to Mg^{2+} by electron impact, measurements of cross sections for . . 537
Ionization of Na^+ to Na^{2+} and K^+ to K^{2+} by electron impact, measurements of cross sections for 240
Ionization of neutral atoms with outer 2p and 3p electrons by electron and proton impact . 1088
Ionization, Penning, by metastable helium atoms 18
Ionization yields, cross sections and loss functions, relation between. 1131
Ionized (highly) helium plasma, measurement of electron densities in decay of . . . 669
Ionizing transitions of O_2, CO, NO and H_2, Franck–Condon factors for 1192
Ionospheric F layer, on theory of 966
Ions and fragments from carbon dioxide and disulphide, sequential mass spectrometry experiments on 62
Ions, C v, triplet to singlet excitation in high-temperature plasmas 471
Ions, dissociative recombination of, theory of 365
Ions, fast H_2^+, energy spectrum of protons produced in collisional dissociation of . . 813
Ions, helium-like, perturbation treatment of Hartree–Fock equations for 1s2p ^3P and ^1P states of 1

PAGE

Ions, helium-like, saddle-point character of Hartree–Fock energies for 402
Ions, H_2^-, search for formation from 40 kev H_2^+ ions in hydrogen (L) 755
Ions, oxygen, motion in oxygen of 1160
Ions, sodium-like, structure of ionization curves of 23
Iron IX–XIV, identification of 3d–4p and 3d–4f transitions in solar spectrum (L) . . . 1004
Iron period elements, classification and oscillator strengths of lines in far vacuum ultra-violet spectrum of 295

L emission spectrum of ^{69}Tm 997
L emission spectrum of thulium 69, beta–gamma region of, new diagram lines in . . 496
L emission spectrum of thulium 69, gamma region of, new diagram lines in . . . 492
L emission spectrum, x-ray, of ^{67}Ho 479
L spectrum of ytterbium 70 103
Langmuir probe observations of afterglows in helium plasmas 660
Laser action in C and N following dissociative excitation transfer 1171
Laser, gas, Faraday rotation resulting from negative absorption in 692
Laser, gas, in uniform external magnetic field, application of generalized Bloch equations to 759
Laser-generated plasma from polyethylene, spectroscopic study of 1180
Level-crossing curves, method for improved resolution of, application to hyperfine structure of level $3\,^2P_{3/2}$ in atomic sodium 724
Lifetime studies of anthracene–perylene energy transfer in benzene solutions . . . 266
Linewidths, ion, simple formulae for calculation including Debye shielding . . . 245
Liquids, supercooled, use of Mössbauer scattering to investigate molecular motions in . 620
Lithium, autoionization of $1s2s2p\ ^4P_{5/2}$ state of 151
Lithium, ground state of, $Z^{-1/2}$ expansion of unrestricted Hartree–Fock equations for . 1048
Lithium, singly ionized, measurements of cross sections for ionization by electron impact . 872
Lorentz–Lorenz function and refractive index of xenon liquid and vapour . . . 449
Loss functions, ionization yields and cross sections, relation between 1131

M x-ray absorption of ^{70}Yb 120
Magnesium fluoride, nature of first excited electronic state in 1061
Magnesium, singly ionized, application of close-coupling approximation to scattering of electrons by 575
Magnesium, singly ionized, ionization to Mg^{2+} by electron impact, measurements of cross sections for 537
Manganese fluoride molecule, Franck–Condon factors and r centroids for B–X and C–X systems of 993
Mass spectrometric observations of afterglows in helium plasmas 650
Mass spectrometry, sequential, experiments on ions and fragments from carbon dioxide and disulphide 62
Matrices, density, for systems described by time-dependent Schrödinger equation, upper bounds on (L) 751
Mercury, excitation of $6\,^1P_1$ and $6\,^3P_{0,1,2}$ states by electron impact 406
Mercury vapour, photoionization of 438
Metastable fast helium atoms in collisions involving electron loss, quantitative analysis of . 230
Metastable helium atoms, fast, formation and destruction in charge-changing collisions . 863
Metastable helium atoms, Penning ionization by 18
Metastable states of helium, dipole properties of 13
Microwave absorption in hydrogen-bonded molecule CF_3COOH–HCOOH 1212
Microwave measurements of temperature dependence of electron density decay rates in O_2 and O_2–N_2 mixtures (L) 128
Mobilities, ion, and conversion rates in pure neon and argon afterglow plasmas . . . 638
Mobility of He^+ ions in He, calculation of 387
Mobility of protons and alpha particles in helium, calculation of 395
Molecules, resonant scattering of electrons by, rotational effects in 1056
Mössbauer scattering, investigation of molecular motions in supercooled liquids by . . 620
Multipole, generalized Bloch equations for any 759

PAGE

Neon afterglow plasmas, ion mobilities and conversion rates in 638
Nitrogen atoms, laser action following dissociative excitation transfer 1171
Nitrogen deuteride, $c\,^1\Pi$–$b\,^1\Sigma^+$ band system of 977
Nitrogen discharges and afterglows, effect of traces of oxygen on 990
Nitrogen hydride, $c\,^1\Pi$–$b\,^1\Sigma^+$ band system of 977
Nitrogen–molecule–electron scattering, resonant, oscillatory energy dependence of . . 548

Octupole transitions in excitation by electron impact 847
Optical dipole transitions between adjacent states 844
Optical pumping experiments, light scattering in, application of generalized Bloch equations to 759
Optically pumped helium, observations of birefringence in 250
Orthopositronium, quenching of, by helium 1109
Orthopositronium, scattering and pick-off quenching in helium (L) 1006
Oscillator molecules, anharmonic, vibrational relaxation under isothermal conditions . 705
Oscillator strength sums, simple methods for calculating van der Waals interactions from . 597
Oscillator strengths, generalized, and electron collision cross sections for potassium . . 718
Oscillator strengths in alkali atoms, core polarization corrections to 822
Oxygen and oxygen–nitrogen mixtures, electron density decay rates in (L) . . . 128
Oxygen–argon afterglow source of O_2 Herzberg I band system 983
Oxygen, molecular, excitation induced by 0·15–1·0 MeV protons in 233
Oxygen, motion of oxygen ions in 1160

Penning ionization by metastable helium atoms 18
Perturbation theory for Hartree and Hartree–Fock Hamiltonians 1016
Perturbation treatment of Hartree–Fock equations for 1s2p ^{3}P and ^{1}P states of helium-like ions 1
Photoionization cross section curves of molecules, undulations in 543
Photoionization of cadmium and mercury vapours 438
Photon (two-) emission from triplet metastable state of He I 697
Pinch, low-energy theta, spectroscopic studies of non-equilibrium plasmas in . . . 77
Plasma, collision-dominated, measurement of shift-to-width ratio and shift as functions of electron density and temperature of Ar II line emitted by 973
Plasma generated by laser from polyethylene, spectroscopic study of 1180
Plasma-produced Ar II lines, measurement of Stark broadening parameters of experiments on 53
Plasmas, helium, Langmuir probe observations of afterglows in 660
Plasmas, helium, mass spectrometric observations of afterglows in 650
Plasmas, high-temperature, triplet to singlet excitation of C V ions in 471
Plasmas, non-equilibrium, in low-energy theta pinch, spectroscopic studies of . . . 77
Plasmas, pure neon and argon afterglow, conversion rates and ion mobilities in . . 638
Polarization, core, corrections to oscillator strengths in alkali atoms 822
Positron annihilation rate in helium 34
Positrons, free, in condensed matter, effective number of annihilation electrons per atom for 795
Positrons, zero-energy, elastic scattering by hydrogen and helium atoms 29
Potassium, electron collision cross sections and generalized oscillator strengths for . . 718
Potassium, ionization from singly to doubly charged by electron impact, measurements of cross sections for 240
Potential constants of ethylene oxide and ethylene oxide d_4, evaluation by analysis of vibrational spectra of 485
Potential energy curves of H_2^- 586
Potential, Firsov's atomic interaction, simple analytical form of 307
Potentials, one-dimensional, iterative procedure for estimating energy levels of . . . 768
Proton and electron excitation of helium, Born cross sections for, using unrestricted Hartree–Fock wave functions 1028
Proton and electron impact, ionization of neutral atoms with outer 2p and 3p electrons by 1088
Proton–hydrogen scattering with variable effective charge, calculations for . . . 428
Protons, calculation of cross sections for electron capture from H, He, N, O and Ar by . 529
Protons, calculation of mobility in helium 395
Protons, cross sections for electron capture by 850
Protons, fast, asymptotic expression for cross section for excitation of H atoms by (L) . 1218
Protons, fast, cross section formulae for excitation of H atoms by (L) 1220

PAGE

Protons, fast, excitation of helium by, accurate first Born approximation cross sections for .. 1037
Protons, fast, excitation of helium by, calculation of first Born approximation cross sections for 218
Protons, 5–45 kev, fragmentation of molecular gases by 1149
Protons from atomic hydrogen, electron capture by, high-energy behaviour of cross sections for (L) 315
Protons produced in collisional dissociation of fast H_2^+ ions, energy spectrum of . . 813
Protons, scattering by hydrogen atoms, application of simplified second Born approximation to 36
Protons, 0·15–1·0 MeV, excitation induced in molecular oxygen by 233
Protons, slow, in helium, single-electron capture by 856

Quadrupolar gases, formation of dimers in 914
Quadrupole–quadrupole interaction, effect on initial pressure dependence of viscosity and thermal conductivity of dense gases 922
Quantum and classical mechanics, relations between 774
Quantum defect theory, extrapolations along isoelectronic sequences 802
Quenching of orthopositronium by helium 1109
Quenching, pick-off, and scattering of orthopositronium in helium (L) 1006

γ centroids and Franck–Condon factors for B–X and C–X systems of MgF molecule . . 993
Raman effect, generation of frequency differences in 929
Rare gases, adiabatic hypothesis applied to high-energy charge-transfer collisions involving (L) 132
Recombination of ions, dissociative, theory of 365
Recombination, three-body ionic, simple treatments of 1145
Recurrence relations for phases and amplitudes in calculation of Coulomb functions . . 154
Refractive index and Lorentz–Lorenz function of xenon liquid and vapour . . . 449
Relaxation, collisional, from ν_3 vibration of CO_2 (L) 1225
Relaxation, vibrational, of anharmonic oscillator molecules under isothermal conditions . 705
Resonance, autoionization, structure in $5s^2\ ^1S_0$–$4d\pi p$, πf spectrum of Sr I, analysis of . 114
Resonance, double, excited by modulated fluorescent light, studies of 458
Resonance, electron spin, *see* Electron spin resonance
Resonance (nearest-) method, calculation of interchange reaction rates by 879
Resonance, $2p^2\ ^1D$, in helium, calculation by method of configuration interaction . . 381
Resonances and exchange in scattering of electrons by helium atoms, wave functions for 327, 336
Resonances, $2s^2\ ^1S$ and $2p^2\ ^1S$, in helium (L) 1226
Rotational analysis of g–a band system due to $^1\Delta_u$–$^1\Delta_g$ transitions in gaseous S_2 . . 283
Rotational analysis of γ bands of SiF 274
Rotational structure of 3050–3250 Å system of BiF molecule (L) 1223
Rotational structure of 2650–2850 Å system of BiF molecule (L) 523

Scattering, *see also* Quantum defect theory
Scattering and pick-off quenching of orthopositronium in helium (L) 1006
Scattering cross sections, electron–atom, near excitation thresholds, effect of long-range forces on behaviour of 181, 187
Scattering, differential, measurements on ion–atom collisions in energy range 500–3000 ev: I—He^+–He collision 1083
Scattering, elastic, of zero-energy electrons by helium atoms 1077
Scattering, elastic, of zero-energy positrons by hydrogen and helium atoms 29
Scattering, exchange, importance in double ionization of He atoms by electron impact (L) . 524
Scattering, low-energy electron, by atomic hydrogen . . . . . corr. 325
Scattering, Mössbauer, investigation of molecular motions in supercooled liquids by . . 620
Scattering of electron by hydrogen atom, integral expression for amplitude of (L) . . 130
Scattering of electrons and protons by hydrogen atoms, application of simplified second Born approximation to 36
Scattering of electrons by helium atoms, resonances and exchange in, wave functions for 327, 336
Scattering of electrons by Mg^+ and Ca^+ ions, application of close-coupling approximation to 575
Scattering, proton–hydrogen, with variable effective charge, calculations for 428
Scattering, resonant electron–molecule, oscillatory energy dependence of 548
Scattering, resonant, of electrons by molecules, angular distributions for 893
Scattering, resonant, of electrons by molecules, rotational effects in 1056

PAGE
Schrödinger equation, least-squares calculation of expectation values of arbitrary operators 632
Screening doublet formation in x-ray emission spectra, extended study of . . . 97
Screening function, Thomas–Fermi, simple analytical form of 307
Silicon fluoride, rotational analysis of γ bands of 274
Sodium, atomic, hyperfine structure of level $3\,^2P_{3/2}$ in, application of method for improved resolution of level-crossing curves to 724
Sodium, ionization from singly to doubly charged by electron impact, measurements of cross sections for 240
Sodium-like ions, structure of ionization curves of 23
Sodium vapour, effect of molecular association on electrical conductivity of . . . 441
Solar spectrum, identification of 3d–4p and 3d–4f transitions in Fe IX–XIV in (L) . . 1004
Spectra, absorption, of BaH and BaD 985
Spectra, emission, x-ray extended study of screening doublet formation in . . . 97
Spectra, fluorescence excitation, of aromatic liquids and solutions 934
Spectra, vibrational, of ethylene oxide and ethylene oxide d_4, evaluation of potential constants by analysis of 485
Spectrometry, sequential mass, experiments on ions and fragments from carbon dioxide and disulphide 62
Spectroscopic studies of non-equilibrium plasmas in low-energy theta pinch . . . 77
Spectroscopic study of plasma generated by laser from polyethylene 1180
Spectrum, absorption, ultra-violet, of Sr I 106
Spectrum, emission, of BeBr molecule excited in presence of argon 482
Spectrum, emission, x-ray L, of ^{67}Ho 479
Spectrum, energy, of protons produced in collisional dissociation of fast H_2^+ ions . . 813
Spectrum, far vacuum ultra-violet, of iron period elements, classification and oscillator strengths of lines in 295
Spectrum, $5s^2\,{}^1S_0$–$4dnp$, nf, of Sr I, analysis of autoionization resonance structure in . . 114
Spectrum, L emission, of ^{69}Tm 997
Spectrum, L emission, of thulium 69, beta–gamma region of, new diagram lines in . . 496
Spectrum, L emission, of thulium 69, gamma region of, new diagram lines in . . . 492
Spectrum, L, of ytterbium 70 103
Spectrum of calcium vapour, analysis of autoionization resonance structure in . . . 742
Spectrum, solar, identification of 3d–4p and 3d–4f transitions in Fe IX–XIV in (L) . . 1004
Spin alignment, theory of birefringence of a gas due to 250
Stark broadening parameters of several Ar II lines, measurement of 53
Stark broadening parameters of two ionized argon multiplets, temperature dependence of (L) 317
State, first excited electronic, in MgF, nature of 1061
State, first excited of H_2^+, variational function for (L) 134
State, $1s2s2p\,{}^4P_{5/2}$, of Li and He^-, autoionization of 151
States, continuum, of molecules, configuration interaction in 349
States, excited, use of impulse approximation for electron capture into 172
Strontium I, analysis of autoionization resonance structure in $5s^2\,{}^1S_0$–$4dnp$, nf spectrum of . 114
Strontium I, ultra-violet absorption spectrum of 106
Strontium deuteride, study of new absorption bands in ultra-violet region . . . 745
Strontium hydride, study of new absorption bands in ultra-violet region 745
Sulphur, gaseous, rotational analysis of g–a band system due to $^1\Delta_u$–$^1\Delta_g$ transitions . . 283
Supercooled liquids, use of Mössbauer scattering to investigate molecular motions in . . 620

Thermal conductivity and viscosity of moderately dense quadrupolar gases 922
Theta pinch, low-energy, spectroscopic studies of non-equilibrium plasmas in . . . 77
Thomas–Fermi screening function, simple analytical form of 307
Thresholds, excitation, effect of long-range forces on behaviour of electron–atom scattering cross sections near 181, 187
Thulium 69, beta–gamma region of L emission spectrum of, new diagram lines in . . 496
Thulium 69, gamma region of L emission spectrum of, new diagram lines in . . . 492
Thulium 69, L emission spectrum of 997
Toluene, molecular and excimer fluorescence of 1157
Transition probabilities and cross sections, bounds on 589

PAGE
Ultra-violet absorption spectrum of Sr I 106
Ultra-violet region, high dispersion study of some new absorption bands of CaH and CaD in . 260
Ultra-violet region, study of new absorption bands of SrH and SrD in 745
Ultra-violet spectrum, far vacuum, of iron period elements, classification and oscillator strengths of lines in 295

Variational calculations for three-electron systems He^- and Be^+ 1073
Variational function for first excited state of H_2^+ (L) 134
Vibrational relaxation of anharmonic oscillator molecules under isothermal conditions . . 705
Viscosity and thermal conductivity of moderately dense quadrupolar gases . . . 922

van der Waals interactions, simple methods for calculating, from oscillator strength sums . 597
Wave functions, atomic, calculation of 145

X-ray absorption, M, of ^{70}Yb 120
X-ray emission spectra, extended study of screening doublet formation in . . . 97
X-ray L emission spectrum of ^{67}Ho 479
X-ray lines, satellite, in sulphur, theoretical study of 614
Xenon liquid and vapour, refractive index and Lorentz–Lorenz function of . . . 449

Ytterbium 70, L spectrum of 103
Ytterbium 70, M x-ray absorption of 120

AUTHOR INDEX (WITH TITLES)

PAGE

Abd El-Karim, K., with Prasad, A. N.: Spectroscopic studies of non-equilibrium plasmas in low-energy theta pinch 77

Abignoli, M., with Baudon, J., and Barat, M.: Differential scattering measurements on ion–atom collisions in energy range 500–3000 ev: I—He^+–He collision . . . 1083

Afridi, M. K., with Khan, M. Aslam: High dispersion study of some new absorption bands of CaH and CaD in ultra-violet region 260

Alexander, J. A. F., Houghton, J. T., and McKnight, W. B.: Collisional relaxation from ν_3 vibration of CO_2 (L) 1225

Appelblad, O., Barrow, R. F., and Verma, R. D.: Rotational analysis of γ bands of SiF . 274

Aspinall, L.: Bounds on density matrices (L) 753

Aspinall, L., and Percival, I. C.: Bounds on transition probabilities and cross sections . . 589

Atkinson, J. B., and Sanders, J. H.: Laser action in carbon and nitrogen atoms following dissociative excitation transfer 1171

Bakos, J., and Szigeti, J.: Measurement of cross sections for collisions of second kind in helium 1115

Baldis, H. A., with Williamson, J. H.: Atomic transitions in perturbed glow discharge . . 909

Barat, M., with Baudon, J., and Abignoli, M.: Differential scattering measurements on ion–atom collisions in energy range 500–3000 ev: I—He^+–He collision . . . 1083

Bardsley, J. N.: Configuration interaction in continuum states of molecules 349

Bardsley, J. N.: Theory of dissociative recombination 365

Barker, M. I., and Bransden, B. H.: Quenching of orthopositronium by helium . . . 1109

Barrow, R. F., and du Parcq, R. P.: $^1\Delta_u$–$^1\Delta_g$ transitions in gaseous S_2 283

Barrow, R. F., with Appelblad, O., and Verma, R. D.: Rotational analysis of γ bands of SiF 274

Bates, D. R., and Öpik, U.: Undulations in photoionization cross section curves of molecules 543

Bates, D. R., and Jundi, Z.: Simple treatments of three-body ionic recombination . . 1145

Baudon, J., Barat, M., and Abignoli, M.: Differential scattering measurements on ion–atom collisions in energy range 500–3000 ev: I—He^+–He collision 1083

Bell, K. L., Dalgarno, A., and Kingston, A. E.: Penning ionization by metastable helium atoms 18

Bell, K. L., Kennedy, D. J., and Kingston, A. E.: Effect of electron exchange in excitation of atomic helium by electron impact (L) 322

Bell, K. L., Kennedy, D. J., and Kingston, A. E.: Accurate first Born approximation cross sections for excitation of helium by fast protons 1037

Bell, K. L., Kennedy, D. J., and Kingston, A. E.: Born cross sections for electron and proton excitation of helium calculated using unrestricted Hartree–Fock wave functions . 1028

Bell, K. L., Kennedy, D. J., and Kingston, A. E.: Excitation of helium by fast electrons . 204

Bell, K. L., Kennedy, D. J., and Kingston, A. E.: Excitation of helium by fast protons . 218

Bell, K. L., and Kingston, A. E.: Born cross sections for electron impact excitation of $2\,^1S$ and $3\,^1S$ states of atomic helium (L) 521

Belling, J. A.: Evaluation of slowly converging radial integrals occurring in atomic collision problems (L) 136

Bely, O.: Structure of ionization curves of sodium-like ions 23

Bely, O.: Two-photon emission from triplet metastable state of He I 718

Bent, G. D., with Thomas, E. W.: Excitation induced by 0·15–1·0 MeV protons in molecular oxygen 233

Berkowitz, J., and Lifshitz, C.: Photoionization of cadmium and mercury vapours . . 438

Bhattacharyya, P. K., with Singh, Y.: Thermal conductivity and viscosity of moderately dense quadrupolar gases 922

Birks, J. B.: Energy transfer in organic systems: VI—Fluorescence response functions and scintillation pulse shapes 946

Birks, J. B., Conte, J. C., and Walker, G.: Fluorescence excitation spectra of aromatic liquids and solutions 934

Birks, J. B., and Georghiou, S.: Energy transfer in organic systems: VII—Effect of diffusion on fluorescence decay 958

Birks, J. B., Georghioù, S., and Munro, I. H.: Energy transfer in organic systems: V—Life-time studies of anthracene–perylene transfer in benzene solutions 266

Birks, J. B., with Greenleaf, J. R., and Lumb, M. D.: Molecular and excimer fluorescence of toluene 1157

PAGE

Bohme, D. K., Hasted, J. B., and Ong, P. P.: Calculation of interchange reaction rates by 'nearest resonance' method 879

Boland, B. C., Irons, F. E., and McWhirter, R. W. P.: Spectroscopic study of plasma generated by laser from polyethylene 1180

Bonsen, T. F. M., with Vriens, L.: Differential cross sections for ionization of hydrogen atom by fast charged particles in binary-encounter theory and Bethe theory . . . 1123

Bransden, B. H., with Barker, M. I.: Quenching of orthopositronium by helium . . . 1109

Bray, K. N. C.: Vibrational relaxation of anharmonic oscillator molecules: relaxation under isothermal conditions 705

Brocklehurst, B., and Duckworth, R. M.: Effect of traces of oxygen on nitrogen discharges and afterglows 990

Browning, R., and Gilbody, H. B.: Fragmentation of molecular gases by 5–45 kev protons . 1149

Browning, R., with Gilbody, H. B., and Levy, G.: Quantitative analysis of fast metastable helium atoms in collisions involving electron loss 230

Browning, R., with Gilbody, H. B., Levy, G., McIntosh, A. I., and Dunn, K. F.: Formation and destruction of fast metastable helium atoms in charge-changing collisions . 863

Burke, P. G.: Potential energy curves of H_2^- 586

Burke, P. G., and Moores, D. L.: Scattering of electrons by Mg^+ and Ca^+ ions . . . 575

Burke, P. G., Taylor, A. J., and Ormonde, S.: Low-energy electron scattering by atomic hydrogen: III . . . . . corr. 325

Burns, D. J., with McConkey, J. W., and Woolsey, J. M.: Absolute cross sections for ionization and excitation of CO_2 by electron impact 71

Burrell, G. J., Hetherington, A., and Moss, T. S.: Faraday rotation resulting from negative absorption 692

Butt, M. R., with Khan, M. Aslam: Study of some new absorption bands of SrH and SrD in ultra-violet region 745

Caudano, R., and Delfosse, J. M.: Energy spectrum of protons produced in collisional dissociation of fast H_2^+ ions 813

Champeney, D. C., and Woodhams, F. W. D.: Investigation of molecular motions in super-cooled liquids by Mössbauer scattering 620

Chaudhry, A. K., Upadhya, K. N., Rai, D. K., and Mohanty, B. S.: Rotational structure of 3050–3250 Å system of BiF molecule (L) 1223

Cheshire, I. M.: Proton–hydrogen scattering with variable effective charge . . . 428

Choi, B. H., with Khandelwal, G. S.: Asymptotic expression for cross section for excitation of H atoms by fast protons (L) 1220

Choi, B. H., with Khandelwal, G. S.: Excitation of H atoms by fast protons (L) . . . 1218

Codling, K., with Garton, W. R. S.: Ultra-violet extensions of arc spectra of alkaline earths: absorption spectrum of strontium vapour 106

Colegrave, R. K., and Stephens, D. B. L.: Single-electron capture by slow protons in helium 856

Coleman, J. P.: Impulse approximation for excitation of atomic hydrogen 567

Coleman, J. P.: On high-energy behaviour of electron capture cross sections (L) . . . 315

Coleman, J. P., and Trelease, S.: Electron capture into excited states in impulse approximation 172

Combley, F. H., Stewardson, E. A., and Wilson, J. E.: M x-ray absorption of ^{70}Yb . . 120

Conte, J. C., with Birks, J. B., and Walker, G.: Fluorescence excitation spectra of aromatic liquids and solutions 934

Copley, G., Kibble, B. P., and Series, G. W.: Method for improved resolution of level-crossing curves: application to hyperfine structure of level $3\,^2P_{3/2}$ in atomic sodium 724

Copsey, M. J., with Smith, D.: Investigation of helium afterglow: I—Mass spectrometric observations 650

Copsey, M. J., with Smith, D., and Goodall, C. V.: Investigation of helium afterglow: II—Langmuir probe observations 660

Corney, A.: Further studies of double resonance excited by modulated light . . . 458

Coulson, C. A., and Gianturco, F. A.: Inner-shell double ionization and chemical bonding: I—Auger electrons 605

Coulson, C. A., with Curl, R. F., Jr.: Coulomb hole in ground state of two-electron atoms corr. 325

Cova, S., and Zappa, L.: Effective number of annihilation electrons per atom for free positrons in condensed matter 795

Cowan, R. D., with Fawcett, B. C., and Peacock, N. J.: Classification and oscillator strengths of lines in far vacuum ultra-violet spectrum of iron period elements . . . 295

PAGE

Cromey, P. R., with Smith, D.: Conversion rates and ion mobilities in pure neon and argon afterglow plasmas 638
Crothers, D. S. F., Kennedy, M., and Smith, F. J.: Effect of apparatus geometry on H^+–H, H^+–D and D^+–D charge-exchange cross sections 1141
Curl, R. F., Jr., and Coulson, C. A.: Coulomb hole in ground state of two-electron atoms corr. 325
Curzon, F. L., with Roberts, D. E.: Measurement of shift-to-width ratio and shift of Ar II line as functions of electron temperature and density 973
Cuthbert, J., Farren, J., Prahallada Rao, B. S., and Preece, E. R.: Sequential mass spectrometry: III—Ions and fragments from carbon dioxide and disulphide 62

Dalgarno, A., with Bell, K. L., and Kingston, A. E.: Penning ionization by metastable helium atoms 18
Dalgarno, A., with Victor, G. A., and Taylor, A. J.: Dipole properties of metastable states of helium 13
Damburg, R. J.: Threshold law for model with long-range interaction (L) 1001
Damburg, R. J., and Propin, R. Kh.: On asymptotic expansions of electronic terms of molecular ion H_2^+ 681
Das Gupta, A., with Singh, Y.: Formation of dimers in quadrupolar gases 914
Davis, J., and Roberts, D. E.: Simple formulae for predicting ion linewidths including Debye shielding 245
Davis, J., and Roberts, D. E.: Temperature dependence of Stark broadening parameters of two ionized argon multiplets (L) 317
Davis, J., with Roberts, D. E.: Inelastic electron collision contributions to ion linewidths . 48
Davison, W. D.: Atomic dipole–quadrupole dispersion forces . . . 139, corr. 1010
Davison, W. D.: Some simple methods for calculating van der Waals interactions from oscillator strength sums 597
Degen, V., and Nicholls, R. W.: Oxygen–argon afterglow as source of O_2 ($A\ ^3\Sigma_u^+$–$X\ ^3\Sigma_g^-$) Herzberg I band system 983
Delfosse, J. M., with Caudano, R.: Energy spectrum of protons produced in collisional dissociation of fast H_2^+ ions 813
Delves, L. M., with Lloyd, M. H.: Least-squares calculation of expectation values of arbitrary operators 632
Deodhar, G. B., Singh, R. B., and Varma, P. P.: L spectrum of ytterbium 70 . . . 103
Deodhar, G. B., Singh, R. B., and Varma, P. P.: X-ray L emission spectrum of ^{67}Ho . 479
Deodhar, G. B., Varma, P. P., and Singh, R. B.: Extended study of screening doublet formation in x-ray emission spectra 97
Deodhar, G. B., Varma, P. P., and Singh, R. B.: L emission spectrum of ^{69}Tm . . . 997
Dickinson, A. S.: Mobility of He^+ ions in He 387
Dickinson, A. S.: Mobility of protons and alpha particles in helium 395
Dolder, K. T., with Martin, S. O., and Peart, B.: Measurements of cross sections for ionization of Mg^+ and Mg^{2+} by electron impact 537
Dolder, K. T., with Peart, B.: Measurements of cross sections for ionization of Li^+ and Ba^+ ions by electron impact 872
Dolder, K. T., with Peart, B.: Measurements of cross sections for ionization of Na^+ to Na^{2+} and K^+ to K^{2+} by electron impact 240
Doughty, N. A., Seaton, M. J., and Sheorey, V. B.: Quantum defect theory: VI—Extrapolations along isoelectronic sequences 802
Duckworth, R. M., with Brocklehurst, B.: Effect of traces of oxygen on nitrogen discharges and afterglows 990
Dunn, K. F., with Gilbody, H. B., Browning, R., Levy, G., and McIntosh, A. I.: Formation and destruction of fast metastable helium atoms in charge-changing collisions . 863
Durell, J. L., with Main, I. G., and Sareen, R. A.: Search for formation of H_2^- ions from 40 kev H_2^+ ions in hydrogen (L) 755
Dutton, J., and Howells, P.: Motion of oxygen ions in oxygen 1160

El-Menshawy, M. F., with Prasad, A. N.: Triplet to singlet excitation of C V ions in high-temperature plasmas 471

Faisal, F. H. M.: Effect of long-range forces on behaviour of electron–atom scattering cross sections near excitation thresholds: I—Solution of scattering equations in asymptotic region 181

PAGE

Faisal, F. H. M.: Effect of long-range forces on behaviour of electron–atom scattering cross sections near excitation thresholds: II—Results for some simple models . . 187
Farren, J., with Cuthbert, J., Prahallada Rao, B. S., and Preece, E. R.: Sequential mass spectrometry: III—Ions and fragments from carbon dioxide and disulphide . . 62
Fawcett, B. C., Peacock, N. J., and Cowan, R. D.: Classification and oscillator strengths of lines in far vacuum ultra-violet spectrum of iron period elements . . . 295
Flannery, M. R.: Energy change collisions between ion pairs and third bodies . . . 384
Foland, W. D., with Kang, I.-J., and Henneberger, W. C.: Importance of exchange scattering in double ionization of He atoms by electron impact (L) 524
Fraser, P. A.: Scattering and pick-off quenching of orthopositronium in helium (L) . . 1006

Garg, K. B., with Nigam, A. N.: New diagram lines in L emission spectrum of thulium 69: II—Beta–gamma region 496
Garg, K. B., with Nigam, A. N., and Kapoor, Q. S.: New diagram lines in L emission spectrum of thulium 69: I—Gamma region 492
Garside, D. H., Mølgaard, H. V., and Smith, B. L.: Refractive index and Lorentz–Lorenz function of xenon liquid and vapour 449
Garstang, R. H.: Octupole transitions in excitation by electron impact 847
Garton, W. R. S., and Codling, K.: Ultra-violet extensions of arc spectra of alkaline earths: absorption spectrum of strontium vapour 106
Garton, W. R. S., Grasdalen, G. L., Parkinson, W. H., and Reeves, E. M.: Analysis of auto-ionization resonance structure in $5s^2\ {}^1S_0$–$4d\eta p$, ηf spectrum of Sr I . . . 114
Georghiou, S., with Birks, J. B.: Energy transfer in organic systems: VII—Effect of diffusion on fluorescence decay 958
Georghiou, S., with Birks, J. B., and Munro, I. H.: Energy transfer in organic systems: V—Lifetime studies of anthracene–perylene transfer in benzene solutions . . . 266
Gianturco, F. A.: Inner-electron rearrangement in Hartree–Fock scheme 1011
Gianturco, F. A.: Inner-shell double ionization and chemical bonding: II—Satellite lines . 614
Gianturco, F. A., with Coulson, C. A.: Inner-shell double ionization and chemical bonding: I—Auger electrons 605
Gilbody, H. B., Browning, R., and Levy, G.: Quantitative analysis of fast metastable helium atoms in collisions involving electron loss 230
Gilbody, H. B., Browning, R., Levy, G., McIntosh, A. I., and Dunn, K. F.: Formation and destruction of fast metastable helium atoms in charge-changing collisions . . 863
Gilbody, H. B., with Browning, R.: Fragmentation of molecular gases by 5–45 kev protons . 1149
Goodall, C. V., with Smith, D., and Copsey, M. J.: Investigation of helium afterglow: II—Langmuir probe observations 660
Goyal, M. L., with Srivastava, G. P.: Microwave absorption in hydrogen-bonded molecule CF_3COOH–HCOOH 1212
Grasdalen, G. L., with Garton, W. R. S., Parkinson, W. H., and Reeves, E. M.: Analysis of autoionization resonance structure in $5s^2\ {}^1S_0$–$4d\eta p$, ηf spectrum of Sr I . . 114
Green, A. E. S., with Peterson, L. R.: Relation between ionization yields, cross sections and loss functions 1131
Greenleaf, J. R., Lumb, M. D., and Birks, J. B.: Molecular and excimer fluorescence of toluene 1157
Gunton, R. C., with Stein, R. P.: Comments on paper by Hackam and Lennon, 'Microwave measurements of temperature dependence of electron density decay rates in oxygen and oxygen–nitrogen mixtures' (L) 128

Hackam, R., and Lennon, J. J.: Comments on paper by Hackam and Lennon, 'Microwave measurements of temperature dependence of electron density decay rates in oxygen and oxygen–nitrogen mixtures' (L) 128
Hameed, S., Herzenberg, A., and James, M. G.: Core polarization corrections to oscillator strengths in alkali atoms 822
Hammerling, P.: Generalized Bloch equations for any multipole 759
Hariharan, P. C., and Khubchandani, P. G.: Variational function for H_2^+ (first excited state) (L) 134
Hasted, J. B., with Bohme, D. K., and Ong, P. P.: Calculation of interchange reaction rates by 'nearest resonance' method 879
Henneberger, W. C., with Kang, I.-J., and Foland, W. D.: Importance of exchange scattering in double ionization of He atoms by electron impact (L) 524

PAGE

Hertel, I. V., and Ross, K. J.: Electron collision cross sections and generalized oscillator strengths for potassium 697
Herzenberg, A.: Oscillatory energy dependence of resonant electron–molecule scattering . 548
Herzenberg, A., and Lau, H. S. M.: Resonances and exchange in scattering of electrons by helium atoms: I—Product wave function for helium atom 327
Herzenberg, A., and Lau, H. S. M.: Resonances and exchange in scattering of electrons by helium atoms: II—Correlated helium wave function 336
Herzenberg, A., with Hameed, S., and James, M. G.: Core polarization corrections to oscillator strengths in alkali atoms 822
Hetherington, A., with Burrell, G. J., and Moss, T. S.: Faraday rotation resulting from negative absorption 692
Hibbert, A.: Saddle-point character of Hartree–Fock energies for helium-like ions . . 402
Hibbert, A.: $Z^{-1/2}$ expansion of unrestricted Hartree–Fock equations for ground state of lithium 1048
Hill, M. J., and Wyard, S. J.: Low-frequency electron spin resonance of irradiated ice and frozen solutions of hydrogen peroxide 289
Holt, A. R., and Moiseiwitsch, B. L.: Application of simplified second Born approximation to scattering of electrons and protons by hydrogen atoms 36
Houghton, J. T., with Alexander, J. A. F., and McKnight, W. W.: Collisional relaxation from ν_3 vibration of CO_2 (L) 1225
Houston, S. K.: Elastic scattering of zero-energy electrons by helium atoms 1077
Houston, S. K.: Positron annihilation in helium 34
Houston, S. K., and Moiseiwitsch, B. L.: Elastic scattering of zero-energy positrons by hydrogen and helium atoms 29
Howells, P., with Dutton, J.: Motion of oxygen ions in oxygen 1160
Humphreys, A. E.: Identification of measured thermal diffusion factors with specific molar compositions (L) 1221

Irons, F. E., with Boland, B. C., and McWhirter, R. W. P.: Spectroscopic study of plasma generated by laser from polyethylene 1180

James, M. G., with Hameed, S., and Herzenberg, A.: Core polarization corrections to oscillator strengths in alkali atoms 822
Jordan, Carole: Identification of 3d–4p and 3d–4f transitions in Fe IX–XIV in solar spectrum (L) 1004
Jundi, Z., with Bates, D. R.: Simple treatments of three-body ionic recombination . . 1145

Kang, I.-J., Henneberger, W. C., and Foland, W. D.: Importance of exchange scattering in double ionization of He atoms by electron impact (L) 524
Kapoor, Q. S., with Nigam, A. N., and Garg, K. B.: New diagram lines in L emission spectrum of thulium 69: I—Gamma region 492
Kennedy, D. J.: Importance of correlation in evaluation of Born cross sections (L) . . 526
Kennedy, D. J., and Kingston, A. E.: Excitation of ground state of helium to $2\,^1P$ state by fast electrons 195
Kennedy, D. J., with Bell, K. L., and Kingston, A. E.: Accurate first Born approximation cross sections for excitation of helium by fast protons 1037
Kennedy, D. J., with Bell, K. L., and Kingston, A. E.: Born cross sections for electron and proton excitation of helium calculated using unrestricted Hartree–Fock wave functions 1028
Kennedy, D. J., with Bell, K. L., and Kingston, A. E.: Effect of electron exchange in excitation of atomic helium by electron impact (L) 322
Kennedy, D. J., with Bell, K. L., and Kingston, A. E.: Excitation of helium by fast electrons 204
Kennedy, D. J., with Bell, K. L., and Kingston, A. E.: Excitation of helium by fast protons 218
Kennedy, M., with Crothers, D. S. F., and Smith, F. J.: Effect of apparatus geometry on H^+–H, H^+–D and D^+–D charge-exchange cross sections 1141
Khan, M. Aslam: Extension of $F\,^2\Sigma \rightarrow X\,^2\Sigma$ system of BaH and BaD 985
Khan, M. Aslam, and Butt, M. R.: Study of some new absorption bands of SrH and SrD in ultra-violet region 745
Khan, M. Aslam, and Afridi, M. K.: High dispersion study of some new absorption bands of CaH and CaD in ultra-violet region 260

PAGE

Khandelwal, G. S., and Choi, B. H.: Asymptotic expression for cross section for excitation of H atoms by fast protons (L) 1220
Khandelwal, G. S., and Choi, B. H.: Excitation of H atoms by fast protons (L) . . 1218
Khubchandani, P. G., with Hariharan, P. C.: Variational function for H_2^+ (first excited state) (L) 134
Kibble, B. P., with Copley, G., and Series, G. W.: Method for improved resolution of level-crossing curves: application to hyperfine structure of level $3\,^2P_{3/2}$ in atomic sodium 724
Kingston, A. E.: Classical cross sections for electron ionization of degenerate levels of excited states of atomic hydrogen 559
Kingston, A. E., with Bell, K. L.: Born cross section for electron impact excitation of $2\,^1S$ and $3\,^1S$ states of atomic helium (L) 521
Kingston, A. E., with Bell, K. L., and Dalgarno, A.: Penning ionization by metastable helium atoms 18
Kingston, A. E., with Bell, K. L., and Kennedy, D. J.: Accurate first Born approximation cross sections for excitation of helium by fast protons 1037
Kingston, A. E., with Bell, K. L., and Kennedy, D. J.: Born cross sections for electron and proton excitation of helium calculated using unrestricted Hartree–Fock wave functions 1028
Kingston, A. E., with Bell, K. L., and Kennedy, D. J.: Effect of electron exchange in excitation of atomic helium by electron impact (L) 322
Kingston, A. E., with Bell, K. L., and Kennedy, D. J.: Excitation of helium by fast electrons 204
Kingston, A. E., with Bell, K. L., and Kennedy, D. J.: Excitation of helium by fast protons 218
Kingston, A. E., with Kennedy, D. J.: Excitation of ground state of helium to $2\,^1P$ state by fast electrons 195
Komarov, I. V., and Slavyanov, S. Yu.: Two Coulomb centres problem at large centre separation 1066
Korwar, V. M., with Tawde, N. R.: Problem of uniqueness of $R_e(\bar{r}_{v'v''})$ function for $A\,^2\Sigma$–$X\,^2\Sigma$ system of AlO (L) 753

Lau, H. S. M., with Herzenberg, A.: Resonances and exchange in scattering of electrons by helium atoms: I—Product wave function for helium atom 327
Lau, H. S. M., with Herzenberg, A.: Resonances and exchange in scattering of electrons by helium atoms: II—Correlated helium wave function 336
Laughlin, C., and Stewart, A. L.: Autoionization of $1s2s2p\,^4P_{5/2}$ state of Li and He^- . . 151
Leckenby, R. E., and Robbins, E. J.: Effect of molecular association on electrical conductivity of sodium vapour 441
Lennon, J. J., with Hackam, R.: Comments on paper by Hackam and Lennon, 'Microwave measurements of temperature dependence of electron density decay rates in oxygen and oxygen–nitrogen mixtures' (L) 128
Lesk, A. M., and Vark, A.: Note on estimation of position of intensity maximum in absorption band (L) 752
Levy, G., with Gilbody, H. B., and Browning, R.: Quantitative analysis of fast metastable helium atoms in collisions involving electron loss 230
Levy, G., with Gilbody, H. B., Browning, R., McIntosh, A. I., and Dunn, K. F.: Formation and destruction of fast metastable helium atoms in charge-changing collisions . 863
Lewis, J. T., and Mordaunt, G. R.: Iterative procedure for estimating energy levels of one-dimensional potentials 768
Lifshitz, C., with Berkowitz, J.: Photoionization of cadmium and mercury vapours . . 438
Lloyd, M. H., and Delves, L. M.: Least-squares calculation of expectation values of arbitrary operators 632
Lumb, M. D., with Greenleaf, J. R., and Birks, J. B.: Molecular and excimer fluorescence of toluene 1157

McCarroll, R., and Salin, A.: Impact parameter treatment of atomic collisions . . . 163
McCarroll, R., and Salin, A.: On high-energy behaviour of electron capture cross sections (L) 315
McConkey, J. W., Burns, D. J., and Woolsey, J. M.: Absolute cross sections for ionization and excitation of CO_2 by electron impact 71
McConnell, J. C., and Moiseiwitsch, B. L.: Excitation of $6\,^1P_1$ and $6\,^3P_{0,1,2}$ states of mercury by electron impact 406
Macek, J.: Properties of autoionizing states of He 831

PAGE

McIntosh, A. I., with Gilbody, H. B., Browning, R., Levy, G., and Dunn, K. F.: Formation and destruction of fast metastable helium atoms in charge-changing collisions . 863

McKnight, W. B., with Alexander, J. A. F., and Houghton, J. T.: Collisional relaxation from ν_3 vibration of CO_2 (L) 1225

McWhirter, R. W. P., with Boland, B. C., and Irons, F. E.: Spectroscopic study of plasma generated by laser from polyethylene 1180

Maheshwari, R. C., Singh, I. D., and Shukla, M. M.: Franck–Condon factors and r centroids for B–X and C–X systems of MgF molecule 993

Main, I. G., Durell, J. L., and Sareen, R. A.: Search for formation of H_2^- ions from 40 kev H_2^+ ions in hydrogen (L) 755

Mapleton, R. A.: Calculations on electron capture from D, He, N, O and Ar by protons . 529

Mapleton, R. A.: Cross sections for electron capture by protons 850

Martin, S. O., Peart, B., and Dolder, K. T.: Measurements of cross sections for ionization of Mg^+ and Mg^{2+} by electron impact 537

Martins, P. de A. P.: Recurrence relations for phases and amplitudes in calculation of Coulomb functions 154

Mayers, D. F., and O'Brien, F.: Calculation of atomic wave functions 145

Mohanty, B. S., Rai, D. K., Upadhya, K. N., and Singh, N. L.: Rotational structure of 2650–2850 Å system of BiF molecule (L) 523

Mohanty, B. S., with Chaudhry, A. K., Upadhya, K. N., and Rai, D. K.: Rotational structure of 3050–3250 Å system of BiF molecule (L) 1223

Moiseiwitsch, B. L., with Holt, A. R.: Application of simplified second Born approximation to scattering of electrons and protons by hydrogen atoms 36

Moiseiwitsch, B. L., with Houston, S. K.: Elastic scattering of zero-energy positrons by hydrogen and helium atoms 29

Moiseiwitsch, B. L., with McConnell, J. C.: Excitation of 6 $^1P_1$ and 6 $^3P_{0,1,2}$ states of mercury by electron impact 449

Mølgaard, H. V., with Garside, D. H., and Smith, B. L.: Refractive index and Lorentz–Lorenz function of xenon liquid and vapour 414

Moore, E. J., with Sloan, I. H.: Integral equation approach to electron–hydrogen collisions . 575

Moores, D. L., with Burke, P. G.: Scattering of electrons by Mg^+ and Ca^+ ions . . 768

Mordaunt, G. R., with Lewis, J. T.: Iterative procedure for estimating energy levels of one-dimensional potentials 692

Moss, T. S., with Burrell, G. J., and Hetherington, A.: Faraday rotation resulting from negative absorption 266

Munro, I. H., with Birks, J. B., and Georghiou, S.: Energy transfer in organic systems: V—Lifetime studies of anthracene–perylene transfer in benzene solutions . . 742

Newsom, G. H., and Shore, B. W.: Analysis of autoionization resonance structure in spectrum of calcium vapour 669

Newton, A. A., and Sexton, M. C.: Decay of highly ionized helium plasma 1192

Nicholls, R. W.: Franck–Condon for ionizing transitions of O_2, CO, NO and H_2 and for $NO^+(A\,^1\Sigma–X\,^1\Sigma)$ band system 983

Nicholls, R. W., with Degen, V.: Oxygen–argon afterglow as source of O_2 ($A\,^3\Sigma_u^+–X\,^3\Sigma_g^-$) Herzberg I band system 496

Nigam, A. N., and Garg, K. B.: New diagram lines in L emission spectrum of thulium 69: II—Beta–gamma region 492

Nigam, A. N., Garg, K. B., and Kapoor, Q. S.: New diagram lines in L emission spectrum of thulium 69: I—Gamma region 774

Norcliffe, A., and Percival, I. C.: Correspondence identities: I 784

Norcliffe, A., and Percival, I. C.: Correspondence identities: II—Bohr–Sommerfeld identity for hydrogen atom 145

O'Brien, F., with Mayers, D. F.: Calculation of atomic wave functions 879

Ong, P. P., with Bohme, D. K., and Hasted, J. B.: Calculation of interchange reaction rates by 'nearest resonance' method 543

Öpik, U., with Bates, D. R.: Undulations in photoionization cross section curves of molecules

Ormonde, S., with Burke, P. G., and Taylor, A. J.: Low-energy electron scattering by atomic hydrogen: III . . . . . corr. 326

PAGE

Pancharatnam, S.: Theory of double refraction in gas due to spin alignment: observations of birefringence in optically pumped helium 250
du Parcq, R. P., with Barrow, R. F.: $^1\Delta_u$–$^3\Delta_g$ transitions in gaseous S_2 283
Parkinson, W. H., with Garton, W. R. S., Grasdalen, G. L., and Reeves, E. M.: Analysis of autoionization resonance structure in $5s^2\ ^1S_0$–$4d\pi p$, πf spectrum of Sr I . . . 114
Peach, G.: Ionization of neutral atoms with outer 2p and 3p electrons by electron and proton impact 1088
Peacock, N. J., with Fawcett, B. C., and Cowan, R. D.: Classification and oscillator strengths of lines in far vacuum ultra-violet spectrum of iron period elements 295
Peart, B., and Dolder, K. T.: Measurements of cross sections for ionization of Li^+ and Ba^+ ions by electron impact 872
Peart, B., and Dolder, K. T.: Measurements of cross sections for ionization of Na^+ to Na^{2+} and K^+ to K^{2+} by electron impact 240
Peart, B., with Martin, S. O., and Dolder, K. T.: Measurements of cross sections for ionization of Mg^+ to Mg^{2+} by electron impact 537
Percival, I. C., with Aspinall, L.: Bounds on transition probabilities and cross sections . 589
Percival, I. C., with Norcliffe, A.: Correspondence identities: I 774
Percival, I. C., with Norcliffe, A.: Correspondence identities: II—Bohr–Sommerfeld identity for hydrogen atom 784
Perrott, R. H., and Stewart, A. L.: $2p^2\ ^1D$ resonance in helium 381
Perrott, R. H., and Stewart, A. L.: $2s^2\ ^1S$ and $2p^2\ ^1S$ resonances in helium (L) . . 1226
Peterson, L. R., and Green, A. E. S.: Relation between ionization yields, cross sections and loss functions 1131
Prahallada Rao, B. S., with Cuthbert, J., Farren, J., and Preece, E. R.: Sequential mass spectrometry: III—Ions and fragments from carbon dioxide and disulphide . . 62
Prasad, A. N., and Abd El-Karim, K.: Spectroscopic studies of non-equilibrium plasmas in low-energy theta pinch 77
Prasad, A. N., and El-Menshawy, M. F.: Triplet to singlet excitation of C v ions in high-temperature plasmas 471
Preece, E. R., with Cuthbert, J., Farren, J., and Prahallada Rao, B. S.: Sequential mass spectrometry: III—Ions and fragments from carbon dioxide and disulphide . 62
Propin, R. Kh., with Damburg, R. J.: On asymptotic expansions of electronic terms of molecular ion H_2^+ 681

Rai, D. K., with Chaudhry, A. K., Upadhya, K. N., and Mohanty, B. S.: Rotational structure of 3050–3250 Å system of BiF molecule (L) 1223
Rai, D. K., with Mohanty, B. S., Upadhya, K. N., and Singh, N. L.: Rotational structure of 2650–2850 Å system of BiF molecule (L) 523
Rao, P. T., with Reddy, Y. P.: Emission spectrum of BeBr molecule excited in presence of argon 482
Read, F. H.: Angular distributions for resonant scattering of electrons by molecules . . 893
Read, F. H.: Rotational effects in electron–molecule resonances 1056
Reddy, Y. P., and Rao, P. T.: Emission spectrum of BeBr molecule excited in presence of argon 482
Reeves, E. M., with Garton, W. R. S., Grasdalen, G. L., and Parkinson, W. H.: Analysis of autoionization resonance structure in $5s^2\ ^1S_0$–$4d\pi p$, πf spectrum of Sr I . . . 114
Richards, W. G., with Walker, T. E. H.: Nature of first excited electronic state in MgF . 1061
Robbins, E. J., with Leckenby, R. E.: Effect of molecular association on electrical conductivity of sodium vapour 441
Roberts, D. E.: Measurement of Stark broadening parameters of several Ar II lines . . 53
Roberts, D. E., and Curzon, F. L.: Measurement of shift-to-width ratio and shift of Ar II line as functions of electron temperature and density 973
Roberts, D. E., and Davis, J.: Inelastic electron collision contributions to ion linewidths . 48
Roberts, D. E., with Davis, J.: Simple formulae for predicting ion linewidths including Debye shielding 245
Roberts, D. E., with Davis, J.: Temperature dependence of Stark broadening parameters of two ionized argon multiplets (L) 317
Ross, K. J., with Hertel, I. V.: Electron collision cross sections and generalized oscillator strengths for potassium 697
Roy, R. S.: Empirical relationship between bond length and frequency (L) 320
Roy, R. S.: New relationship between bond length and force constant 445
Rudge, M. R. H.: Some remarks on integral expressions for scattering amplitudes (L) . . 130

PAGE
Salin, A., with McCarroll, R.: Impact parameter treatment of atomic collisions . . . 163
Salin, A., with McCarroll, R.: On high-energy behaviour of electron capture cross sections (L) 315
Sandars, P. G. H.: Electric-dipole moments of atom: I—Some general considerations . 499
Sandars, P. G. H.: Electric-dipole moments of atom: II—Contribution from electric-dipole moment on electron with particular reference to hydrogen atom 511
Sanders, J. H., with Atkinson, J. B.: Laser action in carbon and nitrogen atoms following dissociative transfer 1171
Sareen, R. A., with Main, I. G., and Durell, J. L.: Search for formation of H_3^- ions from 40 kev H_3^+ ions in hydrogen (L) 755
Seaton, M. J., with Doughty, N. A., and Sheorey, V. B.: Quantum defect theory: VI—Extrapolations along isoelectronic sequences 802
Series, G. W., with Copley, G., and Kibble, B. P.: Method for improved resolution of level-crossing curves: application to hyperfine structure of level 3 $^2P_{3/2}$ in atomic sodium 724
Sexton, M. C., with Newton, A. A.: Decay of highly ionized helium plasma . . . 669
Sharma, C. S.: On Hartree–Fock equations for helium with non-orthogonal orbitals . . 1023
Sharma, C. S.: On perturbation theory for Hartree and Hartree–Fock Hamiltonians . . 1016
Sharma, C. S., and Wilson, R. G.: Perturbation treatment of Hartree–Fock equations for 1s2p ^3P and ^1P states of helium-like ions 1
Sheorey, V. B., with Doughty, N. A., and Seaton, M. J.: Quantum defect theory: VI—Extrapolations along isoelectronic sequences 802
Shore, B. W., with Newsom, G. H.: Analysis of autoionization resonance structure in spectrum of calcium vapour 742
Shukla, M. M., with Maheshwari, R. C., and Singh, I. D.: Franck–Condon factors and r centroids for B–X and C–X systems of MgF molecule 993
Singh, I. D., with Maheshwari, R. C., and Shukla, M. M.: Franck–Condon factors and r centroids for B–X and C–X systems of MgF molecule 993
Singh, N. L., with Mohanty, B. S., Rai, D. K., and Upadhya, K. N.: Rotational structure of 2650–2850 Å system of BiF molecule (L) 523
Singh, R. B., with Deodhar, G. B., and Varma, P. P.: Extended study of screening doublet formation in X-ray emission spectra 97
Singh, R. B., with Deodhar, G. B., and Varma, P. P.: L emission spectrum of ^{69}Tm . . 997
Singh, R. B., with Deodhar, G. B., and Varma, P. P.: L spectrum of ytterbium 70 . . 103
Singh, R. B., with Deodhar, G. B., and Varma, P. P.: X-ray L emission spectrum of ^{67}Ho . 479
Singh, Y., and Bhattacharyya, P. K.: Thermal conductivity and viscosity of moderately dense quadrupolar gases 922
Singh, Y., and Das Gupta, A.: Formation of dimers in quadrupolar gases 914
Slavyanov, S. Yu., with Komarov, I. V.: Two Coulomb centres problem at large centre separation 1066
Sloan, I. H., and Moore, E. J.: Integral equation approach to electron–hydrogen collisions . 414
Smith, B. L., with Garside, D. H., and Mølgaard, H. V.: Refractive index and Lorentz–Lorenz function of xenon liquid and vapour 449
Smith, D., and Copsey, M. J.: Investigation of helium afterglow: I—Mass spectrometric observations 650
Smith, D., and Cromey, P. R.: Conversion rates and ion mobilities in pure neon and argon afterglow plasmas 638
Smith, D., Goodall, C. V., and Copsey, M. J.: Investigation of helium afterglow: II—Langmuir probe observations 660
Smith, F. J., with Crothers, D. S. F., and Kennedy, M.: Effect of apparatus geometry on H^+–H, H^+–D and D^+–D charge-exchange cross sections 1141
Smith, W. L.: Cancellation effects in Franck–Condon integrals 89
Srivastava, G. P., and Goyal, M. L.: Microwave absorption in hydrogen-bonded molecule CF_3COOH–HCOOH 1212
Stein, R. P., and Gunton, R. C.: Comments on paper by Hackam and Lennon, 'Microwave measurements of temperature dependence of electron density decay rates in oxygen and oxygen–nitrogen mixtures' (L) 128
Stephens, D. B. L., with Colegrave, R. K.: Single-electron capture by slow protons in helium 856
Stevens, K. W. H.: Generation of frequency differences in Raman effect 929
Stewardson, E. A., with Combley, F. H., and Wilson, J. E.: M x-ray absorption of ^{70}Yb . 120
Stewart, A. L.: Optical dipole transitions between adjacent states 844
Stewart, A. L., with Laughlin, C.: Autoionization of 1s2s2p $^4P_{5/2}$ state of Li and He^- . . 151
Stewart, A. L., with Perrott, R. H.: $2p^2$ ^1D resonance in helium 381

PAGE

Stewart, A. L., with Perrott, R. H.: $2s^2\ ^1S$ and $2p^2\ ^1S$ resonances in helium (L) . . 1226
Szigeti, J., with Bakos, J.: Measurement of cross sections for collisions of second kind in helium 1115

Tawde, N. R., and Korwar, V. M.: Problem of uniqueness of $R_e(\bar{r}_{v'v''})$ function for A $^2\Sigma$–X $^2\Sigma$ system of AlO (L) 753
Taylor, A. J., with Burke, P. G., and Ormonde, S.: Low-energy electron scattering by atomic hydrogen: III . . . . . corr. 326
Taylor, A. J., with Victor, G. A., and Dalgarno, A.: Dipole properties of metastable states of helium 13
Thomas, E. W., and Bent, G. D.: Excitation induced by 0·15–1·0 Mev protons in molecular oxygen 233
Trelease, S., with Coleman, J. P.: Electron capture into excited states in impulse approximation 172
Tuan, T. F.: On theory of ionospheric F layer 966

Upadhya, K. N., with Chaudhry, A. K., Rai, D. K., and Mohanty, B. S.: Rotational structure of 3050–3250 Å system of BiF molecule (L) 1223
Upadhya, K. N., with Mohanty, B. S., Rai, D. K., and Singh, N. L.: Rotational structure of 2650–2850 Å system of BiF molecule (L) 523

Van Blerkom, J.: Electron collision cross sections for $2l_0 \rightarrow 3l$ transitions in hydrogen . 423
Vark, A., with Lesk, A. M.: Note on estimation of position of intensity maximum in absorption band (L) 752
Varma, P. P., with Deodhar, G. B., and Singh, R. B.: Extended study of screening doublet formation in x-ray emission spectra 97
Varma, P. P., with Deodhar, G. B., and Singh, R. B.: L emission spectrum of ^{69}Tm . . 997
Varma, P. P., with Deodhar, G. B., and Singh, R. B.: L spectrum of ytterbium 70 . . 103
Varma, P. P., with Deodhar, G. B., and Singh, R. B.: X-ray L emission spectrum of ^{67}Ho . 479
Verma, R. D., with Appelblad, O., and Barrow, R. F.: Rotational analysis of γ bands of SiF . 274
Victor, G. A., Dalgarno, A., and Taylor, A. J.: Dipole properties of metastable states of helium 13
Vriens, L., and Bonsen, T. F. M.: Differential cross sections for ionization of hydrogen atom by fast charged particles in binary-encounter theory and Bethe theory . . . 1123

Walker, G., with Birks, J. B., and Conte, J. C.: Fluorescence excitation spectra of aromatic liquids and solutions 934
Walker, T. E. H., and Richards, W. G.: Nature of first excited electronic state in MgF . . 1061
Wedepohl, P. T.: Simple analytical form of Thomas–Fermi screening function and of Firsov's atomic interaction potential 307
Whittaker, F. L.: c $^1\Pi$–b $^1\Sigma^+$ band system of NH and ND 977
Williams, J. F.: Adiabatic hypothesis applied to high-energy charge-transfer collisions involving rare gases (L) 132
Williamson, J. H., and Baldis, H. A.: Atomic transitions in perturbed glow discharge . . 909
Wilson, J. E., with Combley, F. H., and Stewardson, E. A.: M x-ray absorption of ^{70}Yb . 120
Wilson, M.: *Ab initio* calculation of excited odd configurations of Cd I 736
Wilson, R. G., with Sharma, C. S.: Perturbation treatment of Hartree–Fock equations for 1s2p ^{3}P and ^{1}P states of helium-like ions 1
Woodhams, F. W. D., with Champeney, D. C.: Investigation of molecular motions in supercooled liquids by Mössbauer scattering 620
Woolsey, J. M., with McConkey, J. W., and Burns, D. J.: Absolute cross sections for ionization and excitation of CO_2 by electron impact 71
Wray, J. H.: Potential constants and vibrational analysis of ethylene oxide and ethylene oxide d_4 485
Wyard, S. J., with Hill, M. J.: Low-frequency electron spin resonance of irradiated ice and frozen solutions of hydrogen peroxide 289

Young, A. D.: Variational calculations for three-electron systems He^- and Be^+ . . . 1073

Zappa, L., with Cova, S.: Effective number of annihilation electrons per atom for free positrons in condensed matter 795

JOURNAL OF PHYSICS B

Proceedings of the Physical Society

(Atomic and Molecular Physics)

SERIES 2, VOLUME 1, 1968

PUBLISHED BY
THE INSTITUTE OF PHYSICS AND THE PHYSICAL SOCIETY
Lowther Street, York Street, London, W.1

JOURNAL OF PHYSICS B

Proceedings of the Physical Society

(Atomic and Molecular Physics)

SERIES 2, VOLUME 1, 1968

Published by
THE INSTITUTE OF PHYSICS AND THE PHYSICAL SOCIETY
1 Lowther Gardens, Prince Consort Road, London S.W.7

OFFICERS AND MEMBERS OF THE COUNCIL, 1968–69

PRESIDENT

M. R. GAVIN, C.B.E., D.Sc., F.I.E.E., F.Inst.P.

IMMEDIATE PAST PRESIDENT

SIR JAMES TAYLOR, M.B.E., D.Sc., F.R.I.C., M.I.Min.E., F.Inst.P.

VICE-PRESIDENTS

B. R. COLES, B.Sc., D.Phil.
J. V. DUNWORTH, C.B.E., M.A., Ph.D., F.I.E.E., F.Inst.P.
SIR DAVID FOLLETT, M.A., Ph.D., F.Inst.P.
A. D. I. NICOL, B.Sc., Ph.D., F.Inst.P.

HONORARY TREASURER

P. T. MENZIES, M.A., F.Inst.P.

HONORARY SECRETARY

R. PRESS, C.B.E., M.Sc., Ph.D., F.Inst.P.

ORDINARY MEMBERS OF THE COUNCIL

P. F. CHESTER, B.Sc., Ph.D.
S. F. EDWARDS, M.A., Ph.D., F.I.M.A., F.Inst.P., F.R.S.
P. B. HIRSCH, M.A., Ph.D., F.Inst.P., F.R.S.
C. A. HOGARTH, B.Sc., Ph.D., F.Inst.P.
A. J. KENNEDY, D.Sc., M.I.E.E., F.I.M., F.Inst.P.
J. W. MENTER, M.A., Ph.D., Sc.D., F.Inst.P., F.R.S.
J. E. ROBERTS, D.Sc., F.Inst.P.
L. A. A. THOMAS, B.Sc., F.Inst.P.

REPRESENTING BRANCHES

K. W. HILLIER, B.Sc., Ph.D., F.Inst.P.
D. H. PARKINSON, M.A., Ph.D., F.Inst.P.

PERMANENT OFFICERS

Secretary: L. COHEN, B.Sc., Ph.D., F.Inst.P.
Assistant Secretaries: P. L. FLOWERDAY, B.Sc., A.INST.P.
C. I. PEDERSEN, F.I.L., M.I.P.R. (Managing Editor)
Assistant Editors: MISS H. CARCAS, MISS M. A. CHARNEY, B.Sc.,
S. DONOHOE, B.A., K. F. G. PAULUS, M.Sc., Ph.D.
Finance Officer: R. H. MASON
Meetings Officer: L. LAWRENCE
Registrar: R. G. ROBERTS, B.A.
Administrative Officers: MISS D. G. MAYSTON, N. WALTER, B.A.

CONTENTS

No. 1 *January* 1968

PAPERS PAGE

A perturbation treatment of the Hartree–Fock equations for 1s2p ^3P and ^1P states of helium-like ions . . . . C. S. SHARMA and R. G. WILSON 1

Dipole properties of the metastable states of helium . . . . . G. A. VICTOR, A. DALGARNO and A. J. TAYLOR 13

Penning ionization by metastable helium atoms . . . . . K. L. BELL, A. DALGARNO and A. E. KINGSTON 18

The structure of the ionization curves of the sodium-like ions . O. BELY 23

Elastic scattering of zero-energy positrons by hydrogen and helium atoms . . . . . S. K. HOUSTON and B. L. MOISEIWITSCH 29

Positron annihilation in helium . . . . . S. K. HOUSTON 34

Application of a simplified second Born approximation to the scattering of electrons and protons by hydrogen atoms. A. R. HOLT and B. L. MOISEIWITSCH 36

Inelastic electron collision contributions to ion linewidths . . . . . D. E. ROBERTS and J. DAVIS 48

Measurement of the Stark broadening parameters of several Ar II lines . . . . . D. E. ROBERTS 53

Sequential mass spectrometry: III—Ions and fragments from carbon dioxide and disulphide. J. CUTHBERT, J. FARREN, B. S. PRAHALLADA RAO and E. R. PREECE 62

Absolute cross sections for ionization and excitation of CO_2 by electron impact . . . . . J. W. MCCONKEY, D. J. BURNS and J. M. WOOLSEY 71

Spectroscopic studies of non-equilibrium plasmas in a low-energy theta pinch . . . . . A. N. PRASAD and K. ABD EL-KARIM 77

Cancellation effects in Franck–Condon integrals . . . W. L. SMITH 89

Extended study of the screening doublet in x-ray emission spectra . . . . . G. B. DEODHAR, P. P. VARMA and R. B. SINGH 97

L spectrum of ytterbium 70. G. B. DEODHAR, R. B. SINGH and P. P. VARMA 103

Ultra-violet extensions of the arc spectra of the alkaline earths: the absorption spectrum of strontium vapour . . W. R. S. GARTON and K. CODLING 106

Analysis of autoionization resonance structure in the $5s^2\ ^1S_0$–$4dnp$, nf spectrum of Sr I . . . . . W. R. S. GARTON, G. L. GRASDALEN, W. H. PARKINSON and E. M. REEVES 114

The M x-ray absorption of ^{70}Yb . . . . . F. H. COMBLEY, E. A. STEWARDSON and J. E. WILSON 120

LETTERS TO THE EDITOR

Comments on a paper by Hackam and Lennon, 'Microwave measurements of temperature dependence of electron density decay rates in oxygen and oxygen–nitrogen mixtures' . . . . . R. P. STEIN and R. C. GUNTON: R. HACKAM and J. J. LENNON 128

Some remarks on integral expressions for scattering amplitudes M. R. H. RUDGE 130

The adiabatic hypothesis applied to high-energy charge-transfer collisions involving rare gases . . . . . J. F. WILLIAMS 132

The variational function for H_2^+ (first excited state) . . . . . P. C. HARIHARAN and P. G. KHUBCHANDANI 134

The evaluation of slowly converging radial integrals occurring in atomic collision problems . . . . . J. A. BELLING 136

PAGE

PAPERS

Atomic dipole–quadrupole dispersion forces . . . W. D. DAVISON 139
The calculation of atomic wave functions . D. F. MAYERS and F. O'BRIEN 145
Autoionization of the $1s2s2p\ ^4P_{5/2}$ state of Li and He^- . . . . . C. LAUGHLIN and A. L. STEWART 151
Recurrence relations for phases and amplitudes in the calculation of Coulomb functions . . . . . P. DE A. P. MARTINS 154
Impact parameter treatment of atomic collisions R. MCCARROLL and A. SALIN 163
Electron capture into excited states in the impulse approximation . . . . . J. P. COLEMAN and S. TRELEASE 172
The effect of long-range forces on the behaviour of electron–atom scattering cross sections near excitation thresholds: I—Solution of scattering equations in the asymptotic region . . . . . F. H. M. FAISAL 181
The effect of long-range forces on the behaviour of electron–atom scattering cross sections near excitation thresholds: II—Results for some simple models . . . . . F. H. M. FAISAL 187
The excitation of the ground state of helium to the $2\ ^1P$ state by fast electrons . . . . . D. J. KENNEDY and A. E. KINGSTON 195
Excitation of helium by fast electrons . . . . . K. L. BELL, D. J. KENNEDY and A. E. KINGSTON 204
Excitation of helium by fast protons . . . . . K. L. BELL, D. J. KENNEDY and A. E. KINGSTON 218
A quantitative analysis of fast metastable helium atoms in collisions involving electron loss . . . H. B. GILBODY, R. BROWNING and G. LEVY 230
Excitation induced by 0·15–1·0 MEV protons in molecular oxygen . . . . . E. W. THOMAS and G. D. BENT 233
Measurements of cross sections for the ionization of Na^+ to Na^{2+} and K^+ to K^{2+} by electron impact . . . . . B. PEART and K. T. DOLDER 240
Simple formulae for predicting ion linewidths including Debye shielding . . . . . J. DAVIS and D. E. ROBERTS 245
Theory of double refraction in a gas due to spin alignment: observations of birefringence in optically pumped helium . . . . S. PANCHARATNAM 250
A high dispersion study of some new absorption bands of CaH and CaD in the ultra-violet region . . . M. ASLAM KHAN and M. K. AFRIDI 260
Energy transfer in organic systems: V—Lifetime studies of anthracene–perylene transfer in benzene solutions J. B. BIRKS, S. GEORGHIOU and I. H. MUNRO 266
Rotational analysis of the γ bands of SiF . . . . . O. APPELBLAD, R. F. BARROW and R. D. VERMA 274
$^1\Delta_u$–$^1\Delta_g$ transitions in gaseous S_2 . R. F. BARROW and R. P. DU PARCQ 283
Low-frequency electron spin resonance of irradiated ice and frozen solutions of hydrogen peroxide . . . . MARJORIE J. HILL and S. J. WYARD 289
Classification and oscillator strengths of lines in the far vacuum ultra-violet spectrum of the iron period elements . . . . . B. C. FAWCETT, N. J. PEACOCK and R. D. COWAN 295
A simple analytical form of the Thomas–Fermi screening function and of Firsov's atomic interaction potential . . . . . P. T. WEDEPOHL 307

LETTERS TO THE EDITOR

On the high-energy behaviour of electron capture cross sections . . . . . J. P. COLEMAN: R. MCCARROLL and A. SALIN 315
Temperature dependence of Stark broadening parameters of two ionized argon multiplets . . . . . J. DAVIS and D. E. ROBERTS 317
An empirical relationship between bond length and frequency . R. S. ROY 320
The effect of electron exchange in the excitation of atomic helium by electron impact . . . K. L. BELL, D. J. KENNEDY and A. E. KINGSTON 322

No. 2 (*cont.*) *March* 1968

PAGE

CORRIGENDA

Coulomb hole in the ground state of two-electron atoms . . . . . R. F. CURL, JR., and C. A. COULSON 325

Low-energy electron scattering by atomic hydrogen: III . . . . . P. G. BURKE, A. J. TAYLOR and S. ORMONDE 325

No. 3 *May* 1968

PAPERS

Resonances and exchange in the scattering of electrons by helium atoms: I—Product wave function for the helium atom . . . . . A. HERZENBERG and H. S. M. LAU 327

Resonances and exchange in the scattering of electrons by helium atoms: II—Correlated helium wave function A. HERZENBERG and H. S. M. LAU 336

Configuration interaction in the continuum states of molecules J. N. BARDSLEY 349

The theory of dissociative recombination . . . . J. N. BARDSLEY 365

The $2p^2\ ^1D$ resonance in helium . R. H. PERROTT and A. L. STEWART 381

Energy change collisions between ion pairs and third bodies M. R. FLANNERY 384

The mobility of He^+ ions in He . . . . . A. S. DICKINSON 387

The mobility of protons and alpha particles in helium . . A. S. DICKINSON 395

Saddle-point character of Hartree–Fock energies for helium-like ions A. HIBBERT 402

The excitation of the $6\ ^1P_1$ and $6\ ^3P_{0,1,2}$ states of mercury by electron impact . . . . . J. C. MCCONNELL and B. L. MOISEIWITSCH 406

Integral equation approach to electron–hydrogen collisions . . . . . I. H. SLOAN and E. J. MOORE 414

Electron collision cross sections for the $2l_0 \rightarrow 3l$ transitions in hydrogen . . . . . JANET VAN BLERKOM 423

Proton–hydrogen scattering with variable effective charge . I. M. CHESHIRE 428

The photoionization of cadmium and mercury vapours . . . . . J. BERKOWITZ and C. LIFSHITZ 438

The effect of molecular association on the electrical conductivity of sodium vapour . . . . . R. E. LECKENBY and E. J. ROBBINS 441

New relationship between bond length and force constant . . R. S. ROY 445

Refractive index and Lorentz–Lorenz function of xenon liquid and vapour . . . . . D. H. GARSIDE, H. V. MØLGAARD and B. L. SMITH 449

Further studies of double resonance excited by modulated light . A. CORNEY 458

Triplet to singlet excitation of C v ions in high-temperature plasmas . . . . . A. N. PRASAD and M. F. EL-MENSHAWY 471

X-ray L emission spectrum of ^{67}Ho. G. B. DEODHAR, R. B. SINGH and P. P. VARMA 479

The emission spectrum of the BeBr molecule excited in the presence of argon . . . . . Y. P. REDDY and P. T. RAO 482

Potential constants and vibrational analysis of ethylene oxide and ethylene oxide d_4 . . . . . J. H. WRAY 485

New diagram lines in the L emission spectrum of thulium 69: I—Gamma region . . . . . A. N. NIGAM, K. B. GARG and Q. S. KAPOOR 492

New diagram lines in the L emission spectrum of thulium 69: II—Beta–gamma region . . . . . A. N. NIGAM and K. B. GARG 496

The electric-dipole moments of an atom: I—Some general considerations. . . . . P. G. H. SANDARS 499

The electric-dipole moments of an atom: II—The contribution from an electric-dipole moment on the electron with particular reference to the hydrogen atom . . . . . P. G. H. SANDARS 511

No. 3 (*cont.*) *May* 1968

PAGE

LETTERS TO THE EDITOR

Born cross sections for the electron impact excitation of the $2\,^1S$ and $3\,^1S$ states of atomic helium . . . . . K. L. Bell and A. E. Kingston 521

Rotational structure of the 2650–2850 Å system of the BiF molecule . . . . . B. S. Mohanty, D. K. Rai, K. N. Upadhya and N. L. Singh 523

Importance of exchange scattering in double ionization of He atoms by electron impact . . I.-J. Kang, W. C. Henneberger and W. D. Foland 524

The importance of correlation in the evaluation of Born cross sections . . . . . D. J. Kennedy 526

No. 4 *July* 1968

PAPERS

Calculations on electron capture from D, He, N, O and Ar by protons . . . . . R. A. Mapleton 529

Measurements of cross sections for the ionization of Mg^+ to Mg^{2+} by electron impact . . . . . S. O. Martin, B. Peart and K. T. Dolder 537

Undulations in the photoionization cross section curves of molecules . . . . . D. R. Bates and U. Öpik 543

Oscillatory energy dependence of resonant electron–molecule scattering . . . . . A. Herzenberg 548

Classical cross sections for the electron ionization of the degenerate levels of the excited states of atomic hydrogen . . . . . A. E. Kingston 559

The impulse approximation for excitation of atomic hydrogen. J. P. Coleman 567

Scattering of electrons by Mg^+ and Ca^+ ions. P. G. Burke and D. L. Moores 575

Potential energy curves of H_2^- . . . . . P. G. Burke 586

Bounds on transition probabilities and cross sections . . . . . L. Aspinall and I. C. Percival 589

Some simple methods for calculating van der Waals interactions from oscillator strength sums . . . . . W. D. Davison 597

Inner-shell double ionization and chemical bonding: I—Auger electrons . . . . . C. A. Coulson and F. A. Gianturco 605

Inner-shell double ionization and chemical bonding: II—Satellite lines . . . . . F. A. Gianturco 614

Investigation of molecular motions in supercooled liquids by Mössbauer scattering . . . . . D. C. Champeney and F. W. D. Woodhams 620

The least-squares calculation of the expectation values of arbitrary operators . . . . . M. H. Lloyd and L. M. Delves 632

Conversion rates and ion mobilities in pure neon and argon afterglow plasmas . . . . . D. Smith and P. R. Cromey 638

Investigation of the helium afterglow: I—Mass spectrometric observations . . . . . D. Smith and M. J. Copsey 650

Investigation of the helium afterglow: II—Langmuir probe observations . . . . . D. Smith, C. V. Goodall and M. J. Copsey 660

The decay of a highly ionized helium plasma. A. A. Newton and M. C. Sexton 669

On asymptotic expansions of electronic terms of the molecular ion H_2^+ . . . . . R. J. Damburg and R. Kh. Propin 681

Faraday rotation resulting from negative absorption . . . . . G. J. Burrell, A. Hetherington and T. S. Moss 692

Electron collision cross sections and generalized oscillator strengths for potassium . . . . . I. V. Hertel and K. J. Ross 697

Vibrational relaxation of anharmonic oscillator molecules: relaxation under isothermal conditions . . . . . K. N. C. Bray 705

The two-photon emission from the triplet metastable state of He I . O. Bely 718

No. 4 (*cont.*) *July* 1968

PAGE

A method for improved resolution of level-crossing curves: application to the hyperfine structure of the level $3\,^2P_{3/2}$ in atomic sodium . . . . . G. Copley, B. P. Kibble and G. W. Series 724

Ab initio calculation of excited odd configurations of Cd I . . M. Wilson 736

Analysis of autoionization resonance structure in the spectrum of calcium vapour . . . . . G. H. Newsom and B. W. Shore 742

A study of some new absorption bands of SrH and SrD in the ultra-violet region . . . . . M. Aslam Khan and M. R. Butt 745

LETTERS TO THE EDITOR

Bounds on density matrices . . . . . L. Aspinall 751

Note on the estimation of the position of an intensity maximum in an absorption band . . . . . A. M. Lesk and A. Vark 752

The problem of the uniqueness of the $R_e(\bar{r}_{v',v''})$ function for the $(A\,^2\Sigma\text{–}X\,^2\Sigma)$ system of AlO . . . . . N. R. Tawde and V. M. Korwar 753

Search for the formation of H_2^- ions from 40 kev H_2^+ ions in hydrogen . . . . . I. G. Main, J. L. Durell and R. A. Sareen 755

No. 5 *September* 1968

PAPERS

Generalized Bloch equations for any multipole . . . P. Hammerling 759

An iterative procedure for estimating energy levels of one-dimensional potentials . . . . . J. T. Lewis and G. R. Mordaunt 768

Correspondence identities: I . . . . A. Norcliffe and I. C. Percival 774

Correspondence identities: II—The Bohr–Sommerfeld identity for the hydrogen atom . . . . . A. Norcliffe and I. C. Percival 784

Effective number of annihilation electrons per atom for free positrons in condensed matter . . . . . S. Cova and L. Zappa 795

Quantum defect theory: VI—Extrapolations along isoelectronic sequences . . . . . N. A. Doughty, M. J. Seaton and V. B. Sheorey 802

Energy spectrum of protons produced in collisional dissociation of fast H_2^+ ions . . . . . R. Caudano and J. M. Delfosse 813

Core polarization corrections to oscillator strengths in the alkali atoms . . . . . S. Hameed, A. Herzenberg and M. G. James 822

Properties of autoionizing states of He . . . . . J. Macek 831

Optical dipole transitions between adjacent states . . A. L. Stewart 844

Octupole transitions in excitation by electron impact . R. H. Garstang 847

Cross sections for electron capture by protons . . . R. A. Mapleton 850

Single-electron capture by slow protons in helium . . . . . R. K. Colegrave and D. B. L. Stephens 856

Formation and destruction of fast metastable helium atoms in charge-changing collisions . . . . . H. B. Gilbody, R. Browning, G. Levy, A. I. McIntosh and K. F. Dunn 863

Measurements of cross sections for the ionization of Li^+ and Ba^+ ions by electron impact . . . . . B. Peart and K. T. Dolder 872

Calculation of interchange reaction rates by a nearest resonance method . . . . . D. K. Bohme, J. B. Hasted and P. P. Ong 879

Angular distributions for resonant scattering of electrons by molecules. F. H. Read 893

Atomic transitions in a perturbed glow discharge . . . . . J. H. Williamson and H. A. Baldis 909

Formation of dimers in quadrupolar gases . Y. Singh and A. Das Gupta 914

Thermal conductivity and viscosity of moderately dense quadrupolar gases . . . . . Y. Singh and P. K. Bhattacharyya 922

No. 5 (*cont.*) *September* 1968

PAGE

The generation of frequency differences in the Raman effect. K. W. H. Stevens 929
The fluorescence excitation spectra of aromatic liquids and solutions . . . . . J. B. Birks, J. C. Conte and G. Walker 934
Energy transfer in organic systems: VI—Fluorescence response functions and scintillation pulse shapes . . . . . J. B. Birks 946
Energy transfer in organic systems: VII—Effects of diffusion on fluorescence decay . . . . . J. B. Birks and S. Georghiou 958
On the theory of the ionospheric F layer . . . . . T. F. Tuan 966
Measurement of the shift-to-width ratio and shift of an Ar II line as functions of electron temperature and density . . D. E. Roberts and F. L. Curzon 973
The c $^1\Pi$–b $^1\Sigma^+$ band system of NH and ND . . . F. L. Whittaker 977
The oxygen–argon afterglow as a source of the $O_2(A\,^3\Sigma_u^+ - X\,^3\Sigma_g^-)$ Herzberg I band system . . . . . V. Degen and R. W. Nicholls 983
Extension of the F $^2\Sigma \rightarrow$ X $^2\Sigma$ system of BaH and BaD . . M. Aslam Khan 985
Effect of traces of oxygen on nitrogen discharges and afterglows . . . . . B. Brocklehurst and R. M. Duckworth 990
Franck–Condon factors and *r* centroids for the B–X and C–X systems of the MgF molecule . . . R. C. Maheshwari, I. D. Singh and M. M. Shukla 993
The L emission spectrum of ^{69}Tm. G. B. Deodhar, P. P. Varma and R. B. Singh 997

LETTERS TO THE EDITOR

Threshold law for model with long-range interaction . . R. J. Damburg 1001
The identification of 3d–4p and 3d–4f transitions in Fe IX–XIV in the solar spectrum . . . . . Carole Jordon 1004
The scattering and pick-off quenching of orthopositronium in helium . . . . . P. A. Fraser 1006

CORRIGENDUM

Atomic dipole–quadrupole dispersion forces . . . . W. D. Davison 1010

No. 6 *November* 1968

PAPERS

Inner-electron rearrangement in the Hartree–Fock scheme. F. A. Gianturco 1011
On the perturbation theory for the Hartree and the Hartree–Fock Hamiltonians . . . . . C. S. Sharma 1016
On the Hartree–Fock equations for helium with non-orthogonal orbitals . . . . . C. S. Sharma 1023
Born cross sections for the electron and proton excitation of helium calculated using unrestricted Hartree–Fock wave functions . . . . . K. L. Bell, D. J. Kennedy and A. E. Kingston 1028
Accurate first Born approximation cross sections for the excitation of helium by fast protons . . K. L. Bell, D. J. Kennedy and A. E. Kingston 1037
$Z^{-1/2}$ expansion of the unrestricted Hartree–Fock equations for the ground state of lithium . . . . . A. Hibbert 1048
Rotational effects in electron–molecule resonances . . F. H. Read 1056
The nature of the first excited electronic state in MgF . . . . . T. E. H. Walker and W. G. Richards 1061
The two Coulomb centres problem at large centre separation . . . . . I. V. Komarov and S. Yu Slavyanov 1066
Variational calculations for the three-electron systems He^- and Be^+ . . . . . A. D. Young 1073
Elastic scattering of zero-energy electrons by helium atoms . S. K. Houston 1077

PAGE

Differential scattering measurements on ion–atom collisions in the energy range 500–3000 ev: I—He^+–He collision. J. Baudon, M. Barat and M. Abignoli 1083
Ionization of neutral atoms with outer 2p and 3p electrons by electron and proton impact . . . . . G. Peach 1088
The quenching of orthopositronium by helium. M. I. Barker and B. H. Bransden 1109
Measurement of cross sections for collisions of the second kind in helium . . . . . J. Bakos and J. Szigeti 1115
Differential cross sections for ionization of the hydrogen atom by fast charged particles in the binary-encounter theory and Bethe theory . . . . . L. Vriens and T. F. M. Bonsen 1123
The relation between ionization yields, cross sections and loss functions . . . . . L. R. Peterson and A. E. S. Green 1131
The effect of apparatus geometry on H^+–H, H^+–D and D^+–D charge-exchange cross sections . D. S. F. Crothers, M. Kennedy and Francis J. Smith 1141
Simple treatments of three-body ionic recombination. D. R. Bates and Z. Jundi 1145
Fragmentation of molecular gases by 5–45 kev protons . . . . . R. Browning and H. B. Gilbody 1149
Molecular and excimer fluorescence of toluene . . . . . J. R. Greenleaf, M. D. Lumb and J. B. Birks 1157
The motion of oxygen ions in oxygen . . J. Dutton and P. Howells 1160
Laser action in carbon and nitrogen atoms following dissociative excitation transfer . . . . . J. B. Atkinson and J. H. Sanders 1171
A spectroscopic study of the plasma generated by a laser from polyethylene . . . . . B. C. Boland, F. E. Irons and R. W. P. McWhirter 1180
Franck–Condon factors for ionizing transitions of O_2, CO, NO and H_2 and for the NO^+ ($A\,^1\Sigma$–$X\,^1\Sigma$) band system . . . . . R. W. Nicholls 1192
Microwave absorption in the hydrogen-bonded molecule CF_3COOH–HCOOH . . . . . G. P. Srivastava and M. L. Goyal 1212

LETTERS TO THE EDITOR

Excitation of H atoms by fast protons . G. S. Khandelwal and B.-H. Choi 1218
Asymptotic expression for the cross section for the excitation of H atoms by fast protons . . . . . G. S. Khandelwal and B.-H. Choi 1220
Identification of measured thermal diffusion factors with specific molar compositions . . . . . A. E. Humphreys 1221
Rotational structure of the 3050–3250 Å system of the BiF molecule . . . A. K. Chaudhry, K. N. Upadhya, D. K. Rai and B. S. Mohanty 1223
Collisional relaxation from the ν_3 vibration of CO_2 . . . . . J. A. F. Alexander, J. T. Houghton and W. B. McKnight 1225
The $2s^2\,{}^1S$ and $2p^2\,{}^1S$ resonances in helium. R. H. Perrott and A. L. Stewart 1226

SUBJECT INDEX, Ser. 2, Vol. 1 1229

AUTHOR INDEX (WITH TITLES), Ser. 2, Vol. 1 1241